



Abilene Classing Office Quality Report for the Week Ending 2/14/2019

Abilene - Office Summary

Agriculture Marketing Service

Cotton Market News

February 15, 2019

Volume 2, No. 17

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|------------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 0.8 | 0.4 | 31 & Shorter | 0.5 | 0.2 | 22 & Below | * | * |
| 21 | 7.4 | 6.1 | 32 | 2.5 | 1.1 | 23 | 0.1 | 0.1 |
| 31 | 33.8 | 41.6 | 33 | 6.1 | 3.9 | 24 | 0.3 | 0.2 |
| 41 | 32.1 | 33.4 | 34 | 14.3 | 9.7 | 25 | 1.9 | 0.9 |
| 51 | 2.3 | 2.1 | 35 | 25.1 | 17.5 | 26 | 6.3 | 2.7 |
| 61 | - | * | 36 | 25.8 | 24.9 | 27 | 14.5 | 8.2 |
| 71 | - | - | 37 | 19.9 | 26.5 | 28 | 24.8 | 17.7 |
| 12 | 0.1 | * | 38 | 4.6 | 11.0 | 29 | 21.5 | 22.8 |
| 22 | 0.9 | 0.8 | 39 | 1.0 | 4.4 | 30 | 15.1 | 20.1 |
| 32 | 4.9 | 4.7 | 40 | 0.2 | 0.8 | 31 | 8.9 | 13.9 |
| 42 | 8.6 | 5.8 | 41 & Longer | * | * | 32 | 4.2 | 8.3 |
| 52 | 1.6 | 1.1 | Avg Staple | 35.48 | 36.11 | 33 | 1.9 | 3.6 |
| 62 | * | 0.1 | Avg Length | 1.11 | 1.13 | 34 | 0.4 | 1.1 |
| 13 | * | * | MICRONAIRE | | | 35 | 0.1 | 0.3 |
| 23 | 0.2 | 0.2 | 2.4 & Below | * | * | 36 | * | 0.1 |
| 33 | 1.9 | 1.2 | 2.5-2.6 | 0.9 | 0.3 | 37 | * | * |
| 43 | 3.7 | 1.6 | 2.7-2.9 | 1.5 | 0.8 | 38 | - | * |
| 53 | 0.8 | 0.3 | 3.0-3.2 | 3.0 | 2.2 | 39 | - | * |
| 63 | * | * | 3.3-3.4 | 4.1 | 3.0 | 40 & Above | - | - |
| 24-54 | 0.8 | 0.6 | 3.5-3.6 | 5.9 | 4.6 | Avg Strength | 29.18 | 29.92 |
| 25-35 | - | * | 3.7-4.2 | 39.8 | 35.4 | UNIFORMITY | | |
| 81-85 | 0.1 | 0.1 | 4.3-4.9 | 42.3 | 49.9 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 2.2 | 3.4 | 75 | 0.2 | 0.1 |
| | Week | Season | 5.3 & Above | 0.2 | 0.3 | 76 | 1.0 | 0.5 |
| 1 | 2.1 | 0.8 | Avg Micronaire | 4.13 | 4.24 | 77 | 5.5 | 2.5 |
| 2 | 17.4 | 15.5 | EXTRANEIOUS MATTER | | | 78 | 15.7 | 9.6 |
| 3 | 43.0 | 47.2 | Bark (11) | 28.7 | 17.5 | 79 | 30.1 | 24.5 |
| 4 | 23.5 | 25.4 | Grass (21) | - | * | 80 | 31.5 | 33.8 |
| 5 | 10.0 | 8.4 | Seed Coat (31) | * | * | 81 | 13.8 | 22.0 |
| 6 | 3.2 | 2.1 | Prep (01) | - | * | 82 | 2.0 | 6.0 |
| 7 | 0.7 | 0.4 | Other (61) | - | * | 83 | 0.1 | 0.9 |
| 8 | 0.1 | 0.1 | Plastic (71) | * | * | 84 | * | 0.1 |
| Avg Leaf | 3.35 | 3.34 | Gins | 36 | 40 | 85 & Above | * | * |
| Avg Trash | 0.43 | 0.42 | | | | Avg Uniformity | 79.80 | 80.29 |
| Bales Classed | 71,686 | 1,085,688 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 17

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | * | 0.2 | 31 & Shorter | * | * | 22 & Below | - | * |
| 21 | 5.8 | 6.1 | 32 | * | * | 23 | 0.1 | * |
| 31 | 35.5 | 32.8 | 33 | 0.3 | 0.5 | 24 | * | 0.1 |
| 41 | 38.5 | 33.8 | 34 | 2.6 | 3.0 | 25 | 0.3 | 0.6 |
| 51 | 3.6 | 4.1 | 35 | 27.7 | 22.9 | 26 | 1.2 | 2.3 |
| 61 | - | * | 36 | 40.4 | 41.2 | 27 | 9.7 | 11.1 |
| 71 | - | - | 37 | 28.7 | 28.4 | 28 | 28.2 | 28.5 |
| 12 | - | * | 38 | 0.2 | 3.2 | 29 | 22.5 | 26.7 |
| 22 | 1.7 | 1.2 | 39 | * | 0.4 | 30 | 16.5 | 15.0 |
| 32 | 3.3 | 4.7 | 40 | - | 0.3 | 31 | 9.9 | 9.8 |
| 42 | 7.5 | 7.1 | 41 & Longer | - | * | 32 | 7.4 | 4.5 |
| 52 | 0.8 | 2.2 | Avg Staple | 35.95 | 36.07 | 33 | 3.5 | 1.1 |
| 62 | - | * | Avg Length | 1.12 | 1.12 | 34 | 0.6 | 0.2 |
| 13 | - | * | MICRONAIRE | | | 35 | * | 0.1 |
| 23 | - | 0.7 | 2.4 & Below | 0.2 | 0.1 | 36 | * | * |
| 33 | 2.5 | 2.7 | 2.5-2.6 | 4.1 | 1.1 | 37 | - | - |
| 43 | 0.7 | 1.2 | 2.7-2.9 | 0.4 | 2.5 | 38 | - | * |
| 53 | 0.1 | 0.1 | 3.0-3.2 | 2.4 | 5.6 | 39 | - | - |
| 63 | - | * | 3.3-3.4 | 4.1 | 7.6 | 40 & Above | - | - |
| 24-54 | 0.1 | 2.3 | 3.5-3.6 | 8.5 | 11.0 | Avg Strength | 29.66 | 29.37 |
| 25-35 | - | 0.3 | 3.7-4.2 | 57.8 | 50.9 | UNIFORMITY | | |
| 81-85 | - | 0.3 | 4.3-4.9 | 22.4 | 20.9 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | * | 0.2 | 75 | - | * |
| | Week | Season | 5.3 & Above | - | * | 76 | 0.1 | 0.1 |
| 1 | 0.3 | 0.3 | Avg Micronaire | 3.95 | 3.88 | 77 | 0.2 | 0.6 |
| 2 | 8.5 | 7.7 | EXTRANEIOUS MATTER | | | 78 | 2.1 | 2.6 |
| 3 | 26.9 | 29.9 | Bark (11) | 36.4 | 35.7 | 79 | 9.9 | 12.7 |
| 4 | 28.1 | 31.6 | Grass (21) | - | * | 80 | 45.9 | 43.4 |
| 5 | 24.6 | 22.1 | Seed Coat (31) | - | * | 81 | 36.7 | 35.2 |
| 6 | 8.9 | 6.8 | Prep (01) | - | * | 82 | 4.8 | 5.0 |
| 7 | 2.3 | 1.2 | Other (61) | - | * | 83 | 0.1 | 0.3 |
| 8 | 0.4 | 0.4 | Plastic (71) | - | * | 84 | * | * |
| Avg Leaf | 4.06 | 3.95 | Gins | 3 | 3 | 85 & Above | * | 0.1 |
| Avg Trash | 0.61 | 0.58 | | | | Avg Uniformity | 80.78 | 80.71 |
| Bales Classed | 9,660 | 102,668 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 17

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 1.6 | 0.4 | 31 & Shorter | 0.1 | 0.1 | 22 & Below | * | * |
| 21 | 11.7 | 6.0 | 32 | 0.9 | 0.6 | 23 | * | * |
| 31 | 43.8 | 44.6 | 33 | 4.0 | 3.1 | 24 | 0.2 | 0.1 |
| 41 | 26.3 | 37.6 | 34 | 13.9 | 9.2 | 25 | 0.9 | 0.5 |
| 51 | 0.3 | 1.1 | 35 | 25.1 | 15.4 | 26 | 4.2 | 1.7 |
| 61 | - | * | 36 | 25.9 | 23.0 | 27 | 11.7 | 6.1 |
| 71 | - | - | 37 | 21.9 | 27.9 | 28 | 22.6 | 13.9 |
| 12 | 0.1 | * | 38 | 5.9 | 13.5 | 29 | 23.1 | 21.8 |
| 22 | 0.8 | 0.5 | 39 | 1.9 | 5.9 | 30 | 17.7 | 22.7 |
| 32 | 3.8 | 2.4 | 40 | 0.3 | 1.2 | 31 | 11.9 | 15.9 |
| 42 | 5.0 | 3.9 | 41 & Longer | * | 0.1 | 32 | 4.7 | 10.4 |
| 52 | 0.3 | 0.6 | Avg Staple | 35.72 | 36.32 | 33 | 2.3 | 4.9 |
| 62 | - | * | Avg Length | 1.11 | 1.13 | 34 | 0.5 | 1.4 |
| 13 | - | * | MICRONAIRE | | | 35 | 0.1 | 0.4 |
| 23 | 0.1 | 0.1 | 2.4 & Below | * | * | 36 | * | 0.1 |
| 33 | 0.9 | 0.7 | 2.5-2.6 | 0.5 | 0.1 | 37 | * | * |
| 43 | 3.0 | 1.1 | 2.7-2.9 | 1.6 | 0.5 | 38 | - | * |
| 53 | 0.8 | 0.4 | 3.0-3.2 | 3.4 | 1.4 | 39 | - | - |
| 63 | * | * | 3.3-3.4 | 4.3 | 1.9 | 40 & Above | - | - |
| 24-54 | 1.2 | 0.5 | 3.5-3.6 | 5.9 | 3.1 | Avg Strength | 29.50 | 30.26 |
| 25-35 | - | * | 3.7-4.2 | 37.7 | 33.5 | UNIFORMITY | | |
| 81-85 | 0.1 | 0.1 | 4.3-4.9 | 44.7 | 54.4 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 1.7 | 4.7 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | 0.2 | 0.5 | 76 | 0.5 | 0.2 |
| 1 | 3.9 | 0.7 | Avg Micronaire | 4.14 | 4.31 | 77 | 2.7 | 1.2 |
| 2 | 24.5 | 16.0 | EXTRANEIOUS MATTER | | | 78 | 10.8 | 5.7 |
| 3 | 44.0 | 51.2 | Bark (11) | 13.6 | 8.2 | 79 | 31.7 | 19.6 |
| 4 | 18.8 | 24.5 | Grass (21) | - | * | 80 | 36.3 | 35.2 |
| 5 | 6.4 | 6.1 | Seed Coat (31) | - | * | 81 | 15.4 | 27.6 |
| 6 | 1.9 | 1.3 | Prep (01) | - | * | 82 | 2.5 | 8.8 |
| 7 | 0.4 | 0.2 | Other (61) | - | * | 83 | 0.1 | 1.4 |
| 8 | * | 0.1 | Plastic (71) | * | * | 84 | * | 0.2 |
| Avg Leaf | 3.07 | 3.24 | Gins | 11 | 12 | 85 & Above | * | * |
| Avg Trash | 0.37 | 0.40 | | | | Avg Uniformity | 80.03 | 80.60 |
| Bales Classed | 32,735 | 491,191 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 17

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|-----------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | * | 0.4 | 31 & Shorter | 1.1 | 0.4 | 22 & Below | * | * |
| 21 | 3.2 | 6.2 | 32 | 5.0 | 1.8 | 23 | 0.1 | 0.1 |
| 31 | 22.1 | 40.5 | 33 | 10.3 | 5.4 | 24 | 0.6 | 0.4 |
| 41 | 36.5 | 29.1 | 34 | 18.5 | 11.6 | 25 | 3.6 | 1.3 |
| 51 | 4.2 | 2.6 | 35 | 24.3 | 18.5 | 26 | 10.4 | 3.9 |
| 61 | - | * | 36 | 21.0 | 23.4 | 27 | 19.1 | 9.7 |
| 71 | - | - | 37 | 14.8 | 24.7 | 28 | 26.1 | 19.2 |
| 12 | * | * | 38 | 4.6 | 10.1 | 29 | 19.5 | 23.0 |
| 22 | 0.8 | 1.0 | 39 | 0.3 | 3.7 | 30 | 11.6 | 18.6 |
| 32 | 6.8 | 7.0 | 40 | * | 0.5 | 31 | 5.3 | 12.8 |
| 42 | 12.9 | 7.5 | 41 & Longer | - | * | 32 | 2.5 | 7.1 |
| 52 | 3.2 | 1.3 | Avg Staple | 35.07 | 35.91 | 33 | 0.8 | 2.8 |
| 62 | * | 0.1 | Avg Length | 1.09 | 1.12 | 34 | 0.2 | 0.9 |
| 13 | * | * | MICRONAIRE | | | 35 | 0.1 | 0.3 |
| 23 | 0.4 | 0.1 | 2.4 & Below | - | * | 36 | * | 0.1 |
| 33 | 2.7 | 1.4 | 2.5-2.6 | 0.3 | 0.3 | 37 | * | * |
| 43 | 5.3 | 2.0 | 2.7-2.9 | 1.8 | 0.8 | 38 | - | * |
| 53 | 1.0 | 0.3 | 3.0-3.2 | 2.8 | 2.3 | 39 | - | * |
| 63 | * | * | 3.3-3.4 | 3.8 | 3.2 | 40 & Above | - | - |
| 24-54 | 0.6 | 0.3 | 3.5-3.6 | 5.0 | 4.8 | Avg Strength | 28.66 | 29.70 |
| 25-35 | - | - | 3.7-4.2 | 36.3 | 34.1 | UNIFORMITY | | |
| 81-85 | 0.1 | * | 4.3-4.9 | 46.2 | 51.5 | 74 & Below | Week | Season |
| LEAF GRADE | | | 5.0-5.2 | 3.4 | 2.8 | 75 | 0.4 | 0.1 |
| | Week | Season | 5.3 & Above | 0.3 | 0.3 | 76 | 2.0 | 0.8 |
| 1 | 0.6 | 0.9 | Avg Micronaire | 4.19 | 4.24 | 77 | 10.3 | 4.1 |
| 2 | 12.4 | 16.7 | EXTRANEIOUS MATTER | | | 78 | 25.7 | 14.8 |
| 3 | 47.2 | 46.8 | Bark (11) | Week | Season | 79 | 35.0 | 31.9 |
| 4 | 27.1 | 25.1 | Grass (21) | - | * | 80 | 21.5 | 30.5 |
| 5 | 9.2 | 7.9 | Seed Coat (31) | * | * | 81 | 4.5 | 13.7 |
| 6 | 2.7 | 2.0 | Prep (01) | - | * | 82 | 0.5 | 3.4 |
| 7 | 0.6 | 0.5 | Other (61) | - | - | 83 | 0.1 | 0.5 |
| 8 | 0.1 | 0.1 | Plastic (71) | * | * | 84 | - | * |
| Avg Leaf | 3.43 | 3.31 | Gins | 22 | 25 | 85 & Above | * | * |
| Avg Trash | 0.44 | 0.41 | | | | Avg Uniformity | 79.23 | 79.89 |
| Bales Classed | 29,291 | 491,829 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: