



Volume 2, No. 35

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|------------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 0.3 | 31 & Shorter | * | 0.2 | 22 & Below | * | * |
| 21 | 0.6 | 6.3 | 32 | * | 1.0 | 23 | 0.1 | 0.1 |
| 31 | 7.4 | 37.3 | 33 | * | 3.6 | 24 | 0.1 | 0.3 |
| 41 | 9.6 | 31.6 | 34 | 4.4 | 9.8 | 25 | 0.3 | 1.1 |
| 51 | 0.1 | 2.3 | 35 | 26.2 | 20.6 | 26 | 3.8 | 3.7 |
| 61 | - | * | 36 | 44.1 | 27.2 | 27 | 29.8 | 11.0 |
| 71 | - | - | 37 | 24.3 | 24.5 | 28 | 33.7 | 20.1 |
| 12 | - | * | 38 | 0.8 | 9.1 | 29 | 17.0 | 22.5 |
| 22 | 0.3 | 0.9 | 39 | * | 3.3 | 30 | 11.0 | 18.2 |
| 32 | 11.3 | 5.5 | 40 | - | 0.6 | 31 | 3.4 | 12.0 |
| 42 | 29.4 | 7.9 | 41 & Longer | - | * | 32 | 0.8 | 6.9 |
| 52 | 3.8 | 1.4 | Avg Staple | 35.91 | 35.99 | 33 | * | 2.9 |
| 62 | * | 0.1 | Avg Length | 1.12 | 1.12 | 34 | * | 0.8 |
| 13 | - | * | MICRONAIRE | | | 35 | - | 0.2 |
| 23 | 2.1 | 0.3 | | Week | Season | 36 | - | 0.1 |
| 33 | 5.6 | 1.8 | 2.4 & Below | 0.2 | 0.1 | 37 | - | * |
| 43 | 19.1 | 2.7 | 2.5-2.6 | 2.8 | 0.9 | 38 | - | * |
| 53 | 6.7 | 0.6 | 2.7-2.9 | 3.8 | 1.7 | 39 | - | * |
| 63 | 0.1 | * | 3.0-3.2 | 5.6 | 3.2 | 40 & Above | - | - |
| 24-54 | 2.1 | 0.8 | 3.3-3.4 | 9.5 | 4.0 | Avg Strength | 28.58 | 29.66 |
| 25-35 | - | * | 3.5-3.6 | 15.4 | 5.6 | UNIFORMITY | | |
| 81-85 | 1.9 | 0.2 | 3.7-4.2 | 44.5 | 36.5 | | Week | Season |
| LEAF GRADE | | | 4.3-4.9 | 17.7 | 45.0 | 74 & Below | * | * |
| | Week | Season | 5.0-5.2 | 0.6 | 2.8 | 75 | * | 0.1 |
| 1 | - | 0.7 | 5.3 & Above | - | 0.3 | 76 | * | 0.5 |
| 2 | 0.8 | 13.9 | Avg Micronaire | 3.79 | 4.16 | 77 | 0.1 | 2.4 |
| 3 | 5.4 | 41.5 | EXTRANEIOUS MATTER | | | 78 | 1.2 | 9.0 |
| 4 | 17.1 | 25.6 | | Week | Season | 79 | 6.5 | 23.4 |
| 5 | 28.2 | 12.2 | Bark (11) | 68.4 | 24.7 | 80 | 37.6 | 34.5 |
| 6 | 26.4 | 4.4 | Grass (21) | - | * | 81 | 42.0 | 23.5 |
| 7 | 15.6 | 1.4 | Seed Coat (31) | - | * | 82 | 12.2 | 5.7 |
| 8 | 6.5 | 0.4 | Prep (01) | - | * | 83 | 0.3 | 0.7 |
| Avg Leaf | 5.47 | 3.55 | Other (61) | - | * | 84 | * | 0.1 |
| Avg Trash | 0.99 | 0.48 | Plastic (71) | * | * | 85 & Above | * | * |
| Bales Classed | 13,354 | 1,457,835 | Gins | 4 | 40 | Avg Uniformity | 81.03 | 80.32 |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 35

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|-----------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 0.2 | 31 & Shorter | * | * | 22 & Below | * | 0.1 |
| 21 | 0.6 | 6.5 | 32 | * | * | 23 | 0.1 | 0.1 |
| 31 | 7.4 | 24.1 | 33 | * | 0.4 | 24 | 0.1 | 0.3 |
| 41 | 9.6 | 27.6 | 34 | 4.4 | 4.8 | 25 | 0.3 | 1.1 |
| 51 | 0.1 | 3.5 | 35 | 26.2 | 28.3 | 26 | 3.8 | 4.8 |
| 61 | - | * | 36 | 44.1 | 39.8 | 27 | 29.8 | 18.3 |
| 71 | - | - | 37 | 24.3 | 23.3 | 28 | 33.7 | 29.3 |
| 12 | - | * | 38 | 0.8 | 3.0 | 29 | 17.0 | 22.3 |
| 22 | 0.3 | 1.2 | 39 | * | 0.2 | 30 | 11.0 | 12.9 |
| 32 | 11.3 | 8.2 | 40 | - | 0.1 | 31 | 3.4 | 6.8 |
| 42 | 29.4 | 14.1 | 41 & Longer | - | * | 32 | 0.8 | 3.0 |
| 52 | 3.8 | 2.6 | Avg Staple | 35.91 | 35.91 | 33 | * | 0.8 |
| 62 | * | * | Avg Length | 1.12 | 1.12 | 34 | * | 0.1 |
| 13 | - | * | MICRONAIRE | | | 35 | - | * |
| 23 | 2.1 | 0.6 | 2.4 & Below | 0.2 | 0.3 | 36 | - | * |
| 33 | 5.6 | 3.9 | 2.5-2.6 | 2.8 | 3.1 | 37 | - | * |
| 43 | 19.1 | 5.0 | 2.7-2.9 | 3.8 | 4.3 | 38 | - | * |
| 53 | 6.7 | 0.7 | 3.0-3.2 | 5.6 | 6.6 | 39 | - | - |
| 63 | 0.1 | * | 3.3-3.4 | 9.5 | 8.1 | 40 & Above | - | - |
| 24-54 | 2.1 | 1.3 | 3.5-3.6 | 15.4 | 10.6 | Avg Strength | 28.58 | 28.97 |
| 25-35 | - | 0.1 | 3.7-4.2 | 44.5 | 44.2 | UNIFORMITY | | |
| 81-85 | 1.9 | 0.2 | 4.3-4.9 | 17.7 | 22.4 | 74 & Below | Week | Season |
| LEAF GRADE | | | 5.0-5.2 | 0.6 | 0.3 | 75 | * | * |
| | Week | Season | 5.3 & Above | - | 0.1 | 76 | * | 0.1 |
| 1 | - | 0.1 | Avg Micronaire | 3.79 | 3.83 | 77 | 0.1 | 0.6 |
| 2 | 0.8 | 4.8 | EXTRANEIOUS MATTER | | | 78 | 1.2 | 2.7 |
| 3 | 5.4 | 20.4 | Bark (11) | 68.4 | 48.8 | 79 | 6.5 | 13.6 |
| 4 | 17.1 | 28.3 | Grass (21) | - | * | 80 | 37.6 | 41.3 |
| 5 | 28.2 | 27.7 | Seed Coat (31) | - | * | 81 | 42.0 | 35.7 |
| 6 | 26.4 | 12.8 | Prep (01) | - | * | 82 | 12.2 | 5.6 |
| 7 | 15.6 | 4.5 | Other (61) | - | * | 83 | 0.3 | 0.3 |
| 8 | 6.5 | 1.3 | Plastic (71) | * | * | 84 | * | * |
| Avg Leaf | 5.47 | 4.42 | Gins | 3 | 3 | 85 & Above | * | * |
| Avg Trash | 0.99 | 0.70 | | | | Avg Uniformity | 81.03 | 80.72 |
| Bales Classed | 13,353 | 333,107 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 35

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|----------------|---------------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 0.3 | 31 & Shorter | - | 0.1 | 22 & Below | - | * |
| 21 | - | 6.4 | 32 | - | 0.8 | 23 | - | * |
| 31 | - | 42.5 | 33 | - | 3.7 | 24 | - | 0.2 |
| 41 | - | 35.4 | 34 | - | 10.8 | 25 | - | 0.8 |
| 51 | - | 1.3 | 35 | - | 17.6 | 26 | - | 2.6 |
| 61 | - | * | 36 | - | 23.7 | 27 | - | 7.8 |
| 71 | - | - | 37 | - | 25.5 | 28 | - | 15.6 |
| 12 | - | * | 38 | - | 11.8 | 29 | - | 22.1 |
| 22 | - | 0.6 | 39 | - | 4.9 | 30 | - | 21.2 |
| 32 | - | 2.8 | 40 | - | 1.0 | 31 | - | 14.6 |
| 42 | - | 4.6 | 41 & Longer | - | * | 32 | - | 9.2 |
| 52 | - | 0.7 | Avg Staple | - | 36.13 | 33 | - | 4.2 |
| 62 | - | * | Avg Length | - | 1.13 | 34 | - | 1.2 |
| 13 | - | * | MICRONAIRE | | | 35 | - | 0.3 |
| 23 | - | 0.2 | 2.4 & Below | - | * | 36 | - | 0.1 |
| 33 | - | 1.1 | 2.5-2.6 | - | 0.3 | 37 | - | * |
| 43 | - | 1.9 | 2.7-2.9 | - | 0.9 | 38 | - | * |
| 53 | - | 0.8 | 3.0-3.2 | - | 2.0 | 39 | - | - |
| 63 | - | * | 3.3-3.4 | - | 2.3 | 40 & Above | - | - |
| 24-54 | - | 1.0 | 3.5-3.6 | - | 3.5 | Avg Strength | - | 30.05 |
| 25-35 | - | * | 3.7-4.2 | - | 33.9 | UNIFORMITY | | |
| 81-85 | - | 0.2 | 4.3-4.9 | - | 52.4 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | - | 4.2 | 75 | - | * |
| | Week | Season | 5.3 & Above | - | 0.4 | 76 | - | 0.3 |
| 1 | - | 0.9 | Avg Micronaire | - | 4.28 | 77 | - | 1.6 |
| 2 | - | 16.5 | EXTRANEIOUS MATTER | | | 78 | - | 7.1 |
| 3 | - | 48.6 | Bark (11) | - | 12.0 | 79 | - | 21.2 |
| 4 | - | 24.4 | Grass (21) | - | * | 80 | - | 34.7 |
| 5 | - | 7.3 | Seed Coat (31) | - | * | 81 | - | 25.7 |
| 6 | - | 1.8 | Prep (01) | - | * | 82 | - | 7.9 |
| 7 | - | 0.4 | Other (61) | - | * | 83 | - | 1.2 |
| 8 | - | 0.1 | Plastic (71) | - | * | 84 | - | 0.1 |
| Avg Leaf | - | 3.28 | Gins | - | 12 | 85 & Above | - | * |
| Avg Trash | - | 0.41 | | | | Avg Uniformity | - | 80.49 |
| Bales Classed | - | 605,930 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 2, No. 35

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|----------------|---------------------------|----------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 0.4 | 31 & Shorter | - | 0.4 | 22 & Below | - | * |
| 21 | - | 6.1 | 32 | - | 1.8 | 23 | - | 0.1 |
| 31 | - | 39.6 | 33 | - | 5.6 | 24 | - | 0.4 |
| 41 | - | 29.7 | 34 | - | 12.0 | 25 | - | 1.4 |
| 51 | - | 2.8 | 35 | - | 19.0 | 26 | - | 4.2 |
| 61 | - | * | 36 | - | 23.2 | 27 | - | 10.2 |
| 71 | - | - | 37 | - | 24.1 | 28 | - | 19.5 |
| 12 | - | * | 38 | - | 9.8 | 29 | - | 23.0 |
| 22 | - | 1.0 | 39 | - | 3.6 | 30 | - | 18.2 |
| 32 | - | 6.8 | 40 | - | 0.5 | 31 | - | 12.3 |
| 42 | - | 7.7 | 41 & Longer | - | * | 32 | - | 6.8 |
| 52 | - | 1.3 | Avg Staple | - | 35.88 | 33 | - | 2.6 |
| 62 | - | 0.1 | Avg Length | - | 1.12 | 34 | - | 0.9 |
| 13 | - | * | | | | 35 | - | 0.3 |
| 23 | - | 0.1 | MICRONAIRE | | | 36 | - | 0.1 |
| 33 | - | 1.4 | 2.4 & Below | - | * | 37 | - | * |
| 43 | - | 2.3 | 2.5-2.6 | - | 0.3 | 38 | - | * |
| 53 | - | 0.3 | 2.7-2.9 | - | 0.8 | 39 | - | * |
| 63 | - | * | 3.0-3.2 | - | 2.4 | 40 & Above | - | - |
| 24-54 | - | 0.3 | 3.3-3.4 | - | 3.3 | Avg Strength | - | 29.64 |
| 25-35 | - | - | 3.5-3.6 | - | 4.9 | UNIFORMITY | | |
| 81-85 | - | * | 3.7-4.2 | - | 34.5 | 74 & Below | - | * |
| LEAF GRADE | | | 4.3-4.9 | - | 50.8 | 75 | - | 0.1 |
| | Week | Season | 5.0-5.2 | - | 2.7 | 76 | - | 0.8 |
| 1 | - | 0.9 | 5.3 & Above | - | 0.3 | 77 | - | 4.3 |
| 2 | - | 16.7 | Avg Micronaire | - | 4.23 | 78 | - | 15.2 |
| 3 | - | 46.6 | EXTRANEIOUS MATTER | | | 79 | - | 32.3 |
| 4 | - | 25.2 | Bark (11) | - | 24.1 | 80 | - | 30.1 |
| 5 | - | 8.0 | Grass (21) | - | * | 81 | - | 13.2 |
| 6 | - | 2.0 | Seed Coat (31) | - | * | 82 | - | 3.3 |
| 7 | - | 0.5 | Prep (01) | - | * | 83 | - | 0.5 |
| 8 | - | 0.1 | Other (61) | - | - | 84 | - | * |
| Avg Leaf | - | 3.31 | Plastic (71) | - | * | 85 & Above | - | * |
| Avg Trash | - | 0.41 | Gins | 0 | 25 | Avg Uniformity | - | 79.87 |
| Bales Classed | - | 518,798 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: