



Abilene Classing Office Quality Report for the Week Ending 2/20/2020

Abilene - Office Summary

Agricultural Marketing Service

Cotton Market News

February 24, 2020

Volume 3, No. 18

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|------------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 1.8 | 10.1 | 31 & Shorter | 0.7 | 0.9 | 22 & Below | * | * |
| 21 | 29.3 | 36.4 | 32 | 1.3 | 2.6 | 23 | * | * |
| 31 | 24.5 | 25.5 | 33 | 3.0 | 6.3 | 24 | 0.1 | 0.2 |
| 41 | 3.5 | 4.4 | 34 | 5.7 | 10.8 | 25 | 0.3 | 0.7 |
| 51 | 0.3 | 0.1 | 35 | 11.6 | 16.6 | 26 | 0.9 | 1.7 |
| 61 | - | * | 36 | 28.2 | 20.4 | 27 | 1.9 | 4.0 |
| 71 | - | - | 37 | 26.2 | 21.7 | 28 | 5.7 | 8.0 |
| 12 | 1.4 | 1.0 | 38 | 14.3 | 11.4 | 29 | 15.2 | 13.5 |
| 22 | 10.8 | 5.3 | 39 | 6.3 | 6.4 | 30 | 17.1 | 17.0 |
| 32 | 11.9 | 7.7 | 40 | 1.9 | 2.5 | 31 | 18.5 | 17.0 |
| 42 | 1.8 | 2.8 | 41 & Longer | 0.6 | 0.5 | 32 | 15.2 | 14.0 |
| 52 | * | 0.1 | Avg Staple | 36.44 | 36.04 | 33 | 10.6 | 10.3 |
| 62 | - | * | Avg Length | 1.14 | 1.12 | 34 | 7.3 | 6.7 |
| 13 | 0.6 | 0.2 | MICRONAIRE | | | 35 | 3.9 | 3.7 |
| 23 | 3.9 | 1.3 | 2.4 & Below | * | * | 36 | 2.1 | 1.9 |
| 33 | 7.6 | 2.5 | 2.5-2.6 | 0.2 | 0.1 | 37 | 0.9 | 0.8 |
| 43 | 1.5 | 1.6 | 2.7-2.9 | 2.7 | 0.5 | 38 | 0.4 | 0.3 |
| 53 | * | 0.2 | 3.0-3.2 | 8.5 | 2.2 | 39 | * | * |
| 63 | * | * | 3.3-3.4 | 8.3 | 2.9 | 40 & Above | - | - |
| 24-54 | 0.9 | 0.6 | 3.5-3.6 | 8.6 | 4.6 | Avg Strength | 31.59 | 31.33 |
| 25-35 | - | * | 3.7-4.2 | 30.8 | 29.5 | UNIFORMITY | | |
| 81-85 | 0.1 | 0.2 | 4.3-4.9 | 35.3 | 53.9 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 5.0 | 5.7 | 75 | * | 0.1 |
| | Week | Season | 5.3 & Above | 0.4 | 0.6 | 76 | 0.4 | 0.3 |
| 1 | 4.5 | 13.1 | Avg Micronaire | 4.05 | 4.31 | 77 | 1.3 | 1.8 |
| 2 | 29.6 | 36.9 | EXTRANEIOUS MATTER | | | 78 | 7.3 | 7.2 |
| 3 | 39.4 | 32.3 | Bark (11) | 25.4 | 12.9 | 79 | 26.8 | 18.9 |
| 4 | 18.7 | 11.8 | Grass (21) | - | * | 80 | 35.6 | 30.8 |
| 5 | 5.9 | 3.9 | Seed Coat (31) | - | 0.1 | 81 | 21.0 | 27.6 |
| 6 | 1.2 | 1.3 | Prep (01) | - | * | 82 | 6.4 | 10.7 |
| 7 | 0.4 | 0.5 | Other (61) | - | * | 83 | 1.1 | 2.2 |
| 8 | 0.3 | 0.3 | Plastic (71) | * | * | 84 | 0.1 | 0.3 |
| Avg Leaf | 2.99 | 2.64 | Gins | 12 | 40 | 85 & Above | * | * |
| Avg Trash | 0.36 | 0.30 | | | | Avg Uniformity | 80.35 | 80.62 |
| Bales Classed | 32,933 | 1,388,633 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 2/20/2020

Abilene - KS

Agricultural Marketing Service

Cotton Market News

February 24, 2020

Volume 3, No. 18

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 1.2 | 2.0 | 31 & Shorter | * | * | 22 & Below | * | 0.1 |
| 21 | 6.1 | 22.7 | 32 | * | 0.1 | 23 | * | 0.1 |
| 31 | 24.5 | 27.8 | 33 | 0.3 | 0.7 | 24 | * | 0.3 |
| 41 | 4.4 | 3.5 | 34 | 2.6 | 4.7 | 25 | * | 0.9 |
| 51 | 0.5 | 0.2 | 35 | 11.7 | 19.6 | 26 | 0.1 | 2.0 |
| 61 | - | - | 36 | 45.1 | 39.4 | 27 | 0.7 | 3.3 |
| 71 | - | - | 37 | 31.7 | 29.8 | 28 | 6.8 | 6.1 |
| 12 | 3.0 | 2.9 | 38 | 7.2 | 4.8 | 29 | 23.7 | 19.3 |
| 22 | 20.2 | 13.4 | 39 | 1.3 | 0.6 | 30 | 23.0 | 25.1 |
| 32 | 15.1 | 8.5 | 40 | 0.1 | 0.2 | 31 | 21.1 | 19.3 |
| 42 | 2.4 | 2.4 | 41 & Longer | * | 0.1 | 32 | 15.5 | 12.3 |
| 52 | 0.1 | 0.3 | Avg Staple | 36.32 | 36.11 | 33 | 7.0 | 7.2 |
| 62 | - | * | Avg Length | 1.13 | 1.12 | 34 | 2.0 | 3.3 |
| 13 | 1.2 | 0.9 | MICRONAIRE | | | 35 | * | 0.7 |
| 23 | 8.2 | 5.7 | 2.4 & Below | * | * | 36 | 0.1 | 0.1 |
| 33 | 11.7 | 3.8 | 2.5-2.6 | 0.5 | 0.4 | 37 | * | * |
| 43 | 0.7 | 1.8 | 2.7-2.9 | 5.3 | 2.4 | 38 | - | * |
| 53 | * | 1.0 | 3.0-3.2 | 17.4 | 9.9 | 39 | * | * |
| 63 | * | * | 3.3-3.4 | 17.1 | 11.2 | 40 & Above | - | - |
| 24-54 | 0.8 | 2.1 | 3.5-3.6 | 15.8 | 14.4 | Avg Strength | 30.87 | 30.71 |
| 25-35 | - | * | 3.7-4.2 | 33.2 | 39.6 | UNIFORMITY | | |
| 81-85 | - | 0.9 | 4.3-4.9 | 10.2 | 20.6 | 74 & Below | Week | Season |
| LEAF GRADE | | | 5.0-5.2 | 0.6 | 1.5 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | - | 0.1 | 76 | 0.2 | 0.2 |
| 1 | 0.5 | 4.0 | Avg Micronaire | 3.62 | 3.84 | 77 | 0.5 | 0.8 |
| 2 | 18.3 | 31.5 | EXTRANEEOUS MATTER | | | 78 | 7.1 | 3.7 |
| 3 | 37.3 | 32.3 | Bark (11) | 39.4 | 23.2 | 79 | 35.3 | 17.6 |
| 4 | 29.7 | 18.1 | Grass (21) | - | * | 80 | 38.7 | 37.0 |
| 5 | 10.6 | 8.1 | Seed Coat (31) | - | * | 81 | 16.4 | 34.3 |
| 6 | 2.3 | 3.1 | Prep (01) | - | * | 82 | 1.7 | 6.0 |
| 7 | 0.6 | 1.7 | Other (61) | - | - | 83 | * | 0.3 |
| 8 | 0.7 | 1.3 | Plastic (71) | * | * | 84 | * | * |
| Avg Leaf | 3.44 | 3.17 | Gins | 3 | 3 | 85 & Above | - | * |
| Avg Trash | 0.45 | 0.41 | | | | Avg Uniformity | 80.14 | 80.64 |
| Bales Classed | 15,456 | 224,792 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 2/20/2020

Abilene - OK

Agricultural Marketing Service

Cotton Market News

February 24, 2020

Volume 3, No. 18

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 2.9 | 5.9 | 31 & Shorter | 1.7 | 0.3 | 22 & Below | - | * |
| 21 | 60.8 | 45.5 | 32 | 2.4 | 1.3 | 23 | * | * |
| 31 | 25.6 | 30.8 | 33 | 5.2 | 4.8 | 24 | 0.1 | 0.1 |
| 41 | 2.9 | 4.9 | 34 | 7.9 | 9.2 | 25 | 0.6 | 0.2 |
| 51 | 0.2 | 0.1 | 35 | 9.0 | 13.0 | 26 | 0.9 | 0.6 |
| 61 | - | * | 36 | 12.2 | 16.2 | 27 | 1.8 | 1.9 |
| 71 | - | - | 37 | 23.0 | 23.8 | 28 | 4.3 | 4.5 |
| 12 | * | 0.2 | 38 | 20.8 | 16.2 | 29 | 8.0 | 9.1 |
| 22 | 2.4 | 2.8 | 39 | 12.1 | 10.4 | 30 | 12.1 | 14.7 |
| 32 | 3.3 | 5.3 | 40 | 4.2 | 4.0 | 31 | 16.9 | 17.7 |
| 42 | 0.5 | 2.1 | 41 & Longer | 1.5 | 0.8 | 32 | 15.2 | 16.2 |
| 52 | * | 0.1 | Avg Staple | 36.67 | 36.55 | 33 | 14.1 | 13.3 |
| 62 | - | * | Avg Length | 1.15 | 1.14 | 34 | 11.4 | 9.8 |
| 13 | - | * | MICRONAIRE | | | 35 | 7.5 | 6.2 |
| 23 | 0.2 | 0.2 | 2.4 & Below | - | * | 36 | 4.4 | 3.5 |
| 33 | 0.8 | 1.3 | 2.5-2.6 | - | * | 37 | 2.0 | 1.6 |
| 43 | 0.2 | 0.6 | 2.7-2.9 | - | 0.1 | 38 | 0.8 | 0.5 |
| 53 | 0.1 | 0.1 | 3.0-3.2 | * | 0.5 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 0.1 | 0.9 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.2 | 3.5-3.6 | 0.5 | 2.4 | Avg Strength | 32.36 | 32.14 |
| 25-35 | - | * | 3.7-4.2 | 27.3 | 27.6 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 62.9 | 59.1 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 8.8 | 8.5 | 75 | * | * |
| | Week | Season | 5.3 & Above | 0.4 | 0.9 | 76 | 0.6 | 0.2 |
| 1 | 9.6 | 13.4 | Avg Micronaire | 4.47 | 4.43 | 77 | 2.1 | 1.0 |
| 2 | 43.9 | 38.1 | EXTRANEIOUS MATTER | | | 78 | 7.5 | 3.9 |
| 3 | 39.3 | 33.0 | Bark (11) | 2.7 | 8.3 | 79 | 17.9 | 12.6 |
| 4 | 5.8 | 10.6 | Grass (21) | - | * | 80 | 30.1 | 28.4 |
| 5 | 0.9 | 3.3 | Seed Coat (31) | - | * | 81 | 27.0 | 33.0 |
| 6 | 0.3 | 1.1 | Prep (01) | - | * | 82 | 12.0 | 16.7 |
| 7 | 0.2 | 0.4 | Other (61) | - | * | 83 | 2.5 | 3.7 |
| 8 | * | 0.2 | Plastic (71) | * | * | 84 | 0.1 | 0.5 |
| Avg Leaf | 2.46 | 2.58 | Gins | 5 | 12 | 85 & Above | * | 0.1 |
| Avg Trash | 0.25 | 0.28 | | | | Avg Uniformity | 80.62 | 81.00 |
| Bales Classed | 14,154 | 517,325 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 18

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 16.3 | 31 & Shorter | 0.1 | 1.7 | 22 & Below | - | * |
| 21 | 3.1 | 33.9 | 32 | 2.9 | 4.5 | 23 | * | * |
| 31 | 19.9 | 20.5 | 33 | 6.1 | 9.6 | 24 | 0.1 | 0.3 |
| 41 | 1.6 | 4.4 | 34 | 10.2 | 14.1 | 25 | 0.9 | 0.9 |
| 51 | - | 0.1 | 35 | 23.1 | 18.4 | 26 | 4.2 | 2.4 |
| 61 | - | - | 36 | 17.4 | 17.0 | 27 | 7.7 | 6.1 |
| 71 | - | - | 37 | 14.7 | 17.1 | 28 | 6.6 | 11.4 |
| 12 | - | 1.1 | 38 | 19.9 | 9.8 | 29 | 6.8 | 15.1 |
| 22 | 3.1 | 4.4 | 39 | 5.0 | 5.3 | 30 | 10.8 | 16.1 |
| 32 | 33.7 | 9.4 | 40 | 0.5 | 2.1 | 31 | 13.4 | 15.7 |
| 42 | 4.5 | 3.6 | 41 & Longer | - | 0.5 | 32 | 13.7 | 12.9 |
| 52 | - | 0.1 | Avg Staple | 35.97 | 35.61 | 33 | 12.6 | 9.0 |
| 62 | - | * | Avg Length | 1.12 | 1.11 | 34 | 13.8 | 5.4 |
| 13 | - | * | MICRONAIRE | | | 35 | 6.8 | 2.8 |
| 23 | 0.2 | 0.6 | 2.4 & Below | - | * | 36 | 1.8 | 1.2 |
| 33 | 17.9 | 3.0 | 2.5-2.6 | * | * | 37 | 0.5 | 0.5 |
| 43 | 10.4 | 2.2 | 2.7-2.9 | 2.6 | 0.2 | 38 | 0.2 | 0.2 |
| 53 | * | 0.1 | 3.0-3.2 | 3.7 | 0.9 | 39 | - | * |
| 63 | - | * | 3.3-3.4 | 2.7 | 1.6 | 40 & Above | - | - |
| 24-54 | 5.1 | 0.5 | 3.5-3.6 | 9.4 | 3.1 | Avg Strength | 31.67 | 30.89 |
| 25-35 | - | - | 3.7-4.2 | 34.8 | 27.5 | UNIFORMITY | | |
| 81-85 | 0.5 | * | 4.3-4.9 | 34.4 | 61.4 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 9.4 | 4.9 | 75 | * | 0.1 |
| | Week | Season | 5.3 & Above | 2.9 | 0.5 | 76 | 0.1 | 0.5 |
| 1 | 0.6 | 16.0 | Avg Micronaire | 4.20 | 4.37 | 77 | 1.4 | 2.8 |
| 2 | 20.9 | 37.8 | EXTRANEIOUS MATTER | | | 78 | 7.1 | 11.0 |
| 3 | 49.7 | 31.7 | Bark (11) | 56.5 | 13.0 | 79 | 25.3 | 24.5 |
| 4 | 22.9 | 10.5 | Grass (21) | - | * | 80 | 44.7 | 30.6 |
| 5 | 5.4 | 2.9 | Seed Coat (31) | - | 0.3 | 81 | 16.7 | 21.0 |
| 6 | 0.5 | 0.8 | Prep (01) | - | * | 82 | 4.3 | 7.5 |
| 7 | * | 0.3 | Other (61) | - | * | 83 | 0.4 | 1.7 |
| 8 | - | 0.1 | Plastic (71) | * | * | 84 | 0.1 | 0.2 |
| Avg Leaf | 3.13 | 2.50 | Gins | 4 | 25 | 85 & Above | - | * |
| Avg Trash | 0.40 | 0.27 | | | | Avg Uniformity | 80.24 | 80.30 |
| Bales Classed | 3,323 | 646,516 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: