



Abilene Classing Office Quality Report for the Week Ending 10/28/2021

Abilene - Office Summary

Agricultural Marketing Service

Cotton Market News

October 29, 2021

Volume 5, No. 2

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 20.7 | 23.2 | 31 & Shorter | 0.3 | 0.3 | 22 & Below | - | * |
| 21 | 35.7 | 36.2 | 32 | 1.0 | 0.8 | 23 | * | * |
| 31 | 17.1 | 12.8 | 33 | 3.7 | 3.2 | 24 | 0.1 | 0.1 |
| 41 | 0.6 | 0.4 | 34 | 10.0 | 9.2 | 25 | 0.2 | 0.2 |
| 51 | - | - | 35 | 16.7 | 16.9 | 26 | 1.1 | 0.9 |
| 61 | - | - | 36 | 16.1 | 17.5 | 27 | 4.9 | 4.1 |
| 71 | - | - | 37 | 25.2 | 26.2 | 28 | 10.5 | 9.2 |
| 12 | 10.9 | 12.1 | 38 | 16.7 | 16.6 | 29 | 13.6 | 13.7 |
| 22 | 7.2 | 7.9 | 39 | 7.1 | 6.7 | 30 | 17.5 | 17.7 |
| 32 | 4.1 | 3.1 | 40 | 2.8 | 2.5 | 31 | 16.8 | 16.6 |
| 42 | 0.1 | 0.1 | 41 & Longer | 0.3 | 0.2 | 32 | 15.8 | 17.1 |
| 52 | - | - | Avg Staple | 36.40 | 36.41 | 33 | 11.0 | 11.9 |
| 62 | - | - | Avg Length | 1.14 | 1.14 | 34 | 6.3 | 6.1 |
| 13 | 1.6 | 1.7 | MICRONAIRE | | | 35 | 1.9 | 1.8 |
| 23 | 1.5 | 1.6 | 2.4 & Below | - | - | 36 | 0.5 | 0.5 |
| 33 | 0.6 | 0.6 | 2.5-2.6 | * | * | 37 | * | * |
| 43 | 0.1 | 0.1 | 2.7-2.9 | 1.2 | 1.0 | 38 | - | - |
| 53 | - | * | 3.0-3.2 | 5.1 | 6.0 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | 8.3 | 9.5 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.1 | 3.5-3.6 | 12.0 | 13.0 | Avg Strength | 30.64 | 30.74 |
| 25-35 | - | - | 3.7-4.2 | 51.6 | 50.4 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 21.4 | 19.9 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 0.1 | 0.1 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | - | - | 76 | 0.5 | 0.6 |
| 1 | 15.2 | 17.5 | Avg Micronaire | 3.91 | 3.88 | 77 | 1.8 | 2.0 |
| 2 | 34.6 | 37.6 | EXTRANEIOUS MATTER | | | 78 | 7.5 | 7.6 |
| 3 | 35.0 | 33.1 | Bark (11) | 10.0 | 10.7 | 79 | 20.6 | 22.0 |
| 4 | 11.2 | 8.9 | Grass (21) | 0.2 | 0.1 | 80 | 33.1 | 31.5 |
| 5 | 3.3 | 2.2 | Seed Coat (31) | - | - | 81 | 26.4 | 26.1 |
| 6 | 0.7 | 0.5 | Prep (01) | - | * | 82 | 8.8 | 8.9 |
| 7 | 0.1 | 0.1 | Other (61) | - | - | 83 | 1.1 | 1.1 |
| 8 | * | * | Plastic (71) | * | * | 84 | 0.1 | 0.1 |
| Avg Leaf | 2.55 | 2.42 | Gins | 26 | 26 | 85 & Above | * | * |
| Avg Trash | 0.29 | 0.27 | | | | Avg Uniformity | 80.05 | 80.02 |
| Bales Classed | 49,223 | 77,027 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 5, No. 2

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|--------|-----------------------|------|--------|-----------------------|------|--------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | - | 31 & Shorter | - | - | 22 & Below | - | - |
| 21 | - | - | 32 | - | - | 23 | - | - |
| 31 | - | - | 33 | - | - | 24 | - | - |
| 41 | - | - | 34 | - | - | 25 | - | - |
| 51 | - | - | 35 | - | - | 26 | - | - |
| 61 | - | - | 36 | - | - | 27 | - | - |
| 71 | - | - | 37 | - | - | 28 | - | - |
| 12 | - | - | 38 | - | - | 29 | - | - |
| 22 | - | - | 39 | - | - | 30 | - | - |
| 32 | - | - | 40 | - | - | 31 | - | - |
| 42 | - | - | 41 & Longer | - | - | 32 | - | - |
| 52 | - | - | Avg Staple | - | - | 33 | - | - |
| 62 | - | - | Avg Length | - | - | 34 | - | - |
| 13 | - | - | | | | 35 | - | - |
| 23 | - | - | MICRONAIRE | | | 36 | - | - |
| 33 | - | - | | Week | Season | 37 | - | - |
| 43 | - | - | 2.4 & Below | - | - | 38 | - | - |
| 53 | - | - | 2.5-2.6 | - | - | 39 | - | - |
| 63 | - | - | 2.7-2.9 | - | - | 40 & Above | - | - |
| 24-54 | - | - | 3.0-3.2 | - | - | Avg Strength | - | - |
| 25-35 | - | - | 3.3-3.4 | - | - | | | |
| 81-85 | - | - | 3.5-3.6 | - | - | UNIFORMITY | | |
| | | | 3.7-4.2 | - | - | | Week | Season |
| LEAF GRADE | | | 4.3-4.9 | - | - | 74 & Below | - | - |
| | Week | Season | 5.0-5.2 | - | - | 75 | - | - |
| 1 | - | - | 5.3 & Above | - | - | 76 | - | - |
| 2 | - | - | Avg Micronaire | - | - | 77 | - | - |
| 3 | - | - | EXTRANEIOUS MATTER | | | 78 | - | - |
| 4 | - | - | | Week | Season | 79 | - | - |
| 5 | - | - | Bark (11) | - | - | 80 | - | - |
| 6 | - | - | Grass (21) | - | - | 81 | - | - |
| 7 | - | - | Seed Coat (31) | - | - | 82 | - | - |
| 8 | - | - | Prep (01) | - | - | 83 | - | - |
| Avg Leaf | - | - | Other (61) | - | - | 84 | - | - |
| Avg Trash | - | - | Plastic (71) | - | - | 85 & Above | - | - |
| Bales Classed | - | - | Gins | - | - | Avg Uniformity | - | - |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 10/28/2021

Abilene - OK

Agricultural Marketing Service

Cotton Market News

October 29, 2021

Volume 5, No. 2

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 16.5 | 20.8 | 31 & Shorter | * | 0.1 | 22 & Below | - | - |
| 21 | 46.8 | 46.8 | 32 | 0.2 | 0.2 | 23 | - | * |
| 31 | 24.5 | 17.1 | 33 | 1.7 | 1.6 | 24 | * | * |
| 41 | 0.5 | 0.3 | 34 | 4.6 | 5.1 | 25 | 0.1 | 0.1 |
| 51 | - | - | 35 | 11.5 | 12.0 | 26 | 0.4 | 0.4 |
| 61 | - | - | 36 | 11.9 | 15.3 | 27 | 1.6 | 1.9 |
| 71 | - | - | 37 | 31.2 | 30.9 | 28 | 4.6 | 4.5 |
| 12 | 2.3 | 4.5 | 38 | 23.0 | 21.2 | 29 | 9.7 | 10.5 |
| 22 | 4.8 | 6.4 | 39 | 10.6 | 9.3 | 30 | 15.3 | 15.6 |
| 32 | 3.7 | 2.5 | 40 | 4.8 | 3.9 | 31 | 20.3 | 19.3 |
| 42 | 0.1 | 0.1 | 41 & Longer | 0.6 | 0.3 | 32 | 20.8 | 21.8 |
| 52 | - | - | Avg Staple | 37.04 | 36.90 | 33 | 15.2 | 15.6 |
| 62 | - | - | Avg Length | 1.16 | 1.15 | 34 | 8.7 | 7.5 |
| 13 | 0.1 | 0.2 | MICRONAIRE | | | 35 | 2.6 | 2.2 |
| 23 | 0.3 | 0.8 | 2.4 & Below | - | - | 36 | 0.6 | 0.6 |
| 33 | 0.3 | 0.4 | 2.5-2.6 | * | * | 37 | * | * |
| 43 | 0.1 | 0.1 | 2.7-2.9 | 1.5 | 1.1 | 38 | - | - |
| 53 | - | * | 3.0-3.2 | 6.8 | 8.0 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | 11.4 | 12.9 | 40 & Above | - | - |
| 24-54 | * | 0.1 | 3.5-3.6 | 14.3 | 15.0 | Avg Strength | 31.33 | 31.27 |
| 25-35 | - | - | 3.7-4.2 | 47.2 | 45.2 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 18.6 | 17.6 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 0.3 | 0.2 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | - | - | 76 | 0.4 | 0.4 |
| 1 | 13.8 | 18.6 | Avg Micronaire | 3.84 | 3.82 | 77 | 1.2 | 1.3 |
| 2 | 35.0 | 37.7 | EXTRANEIOUS MATTER | | | 78 | 4.9 | 5.3 |
| 3 | 37.9 | 34.1 | Bark (11) | 4.0 | 5.0 | 79 | 13.2 | 17.6 |
| 4 | 11.0 | 8.2 | Grass (21) | * | * | 80 | 28.5 | 28.2 |
| 5 | 2.0 | 1.3 | Seed Coat (31) | - | - | 81 | 35.5 | 32.3 |
| 6 | 0.3 | 0.2 | Prep (01) | - | * | 82 | 13.9 | 13.0 |
| 7 | * | * | Other (61) | - | - | 83 | 1.9 | 1.7 |
| 8 | - | - | Plastic (71) | * | * | 84 | 0.2 | 0.2 |
| Avg Leaf | 2.54 | 2.37 | Gins | 9 | 9 | 85 & Above | * | * |
| Avg Trash | 0.28 | 0.25 | | | | Avg Uniformity | 80.41 | 80.30 |
| Bales Classed | 26,522 | 46,365 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 10/28/2021

Abilene - TX

Agricultural Marketing Service

Cotton Market News

October 29, 2021

Volume 5, No. 2

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|-----------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 26.4 | 27.5 | 31 & Shorter | 0.6 | 0.5 | 22 & Below | - | * |
| 21 | 22.6 | 20.1 | 32 | 2.2 | 1.8 | 23 | * | * |
| 31 | 7.7 | 5.9 | 33 | 6.2 | 5.9 | 24 | 0.1 | 0.1 |
| 41 | 0.3 | 0.2 | 34 | 16.0 | 15.2 | 25 | 0.4 | 0.4 |
| 51 | - | - | 35 | 21.8 | 23.6 | 26 | 1.9 | 1.6 |
| 61 | - | - | 36 | 21.2 | 21.0 | 27 | 9.1 | 7.7 |
| 71 | - | - | 37 | 18.7 | 19.3 | 28 | 18.1 | 17.0 |
| 12 | 21.5 | 24.1 | 38 | 9.6 | 9.6 | 29 | 19.0 | 19.2 |
| 22 | 9.2 | 9.7 | 39 | 3.2 | 2.8 | 30 | 19.9 | 20.9 |
| 32 | 4.5 | 4.1 | 40 | 0.5 | 0.3 | 31 | 12.2 | 12.2 |
| 42 | 0.2 | 0.1 | 41 & Longer | * | * | 32 | 8.8 | 9.2 |
| 52 | - | - | Avg Staple | 35.65 | 35.67 | 33 | 5.8 | 6.1 |
| 62 | - | - | Avg Length | 1.11 | 1.11 | 34 | 3.3 | 4.0 |
| 13 | 3.4 | 4.1 | MICRONAIRE | | | 35 | 1.1 | 1.2 |
| 23 | 3.0 | 2.9 | 2.4 & Below | - | - | 36 | 0.3 | 0.3 |
| 33 | 1.0 | 1.1 | 2.5-2.6 | * | * | 37 | * | * |
| 43 | * | * | 2.7-2.9 | 1.0 | 0.9 | 38 | - | - |
| 53 | - | - | 3.0-3.2 | 3.2 | 3.2 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | 5.0 | 4.5 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.1 | 3.5-3.6 | 9.8 | 10.4 | Avg Strength | 29.74 | 29.87 |
| 25-35 | - | - | 3.7-4.2 | 58.4 | 59.5 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | 22.4 | 21.6 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | - | - | 75 | 0.1 | 0.1 |
| | Week | Season | 5.3 & Above | - | - | 76 | 0.6 | 1.0 |
| 1 | 17.6 | 16.5 | Avg Micronaire | 3.97 | 3.96 | 77 | 2.5 | 3.1 |
| 2 | 34.9 | 38.2 | EXTRANEIOUS MATTER | | | 78 | 11.1 | 11.4 |
| 3 | 30.4 | 30.9 | Bark (11) | 17.1 | 19.5 | 79 | 30.4 | 29.5 |
| 4 | 11.4 | 9.9 | Grass (21) | 0.4 | 0.3 | 80 | 37.9 | 36.0 |
| 5 | 4.6 | 3.5 | Seed Coat (31) | - | - | 81 | 15.0 | 16.2 |
| 6 | 1.0 | 0.8 | Prep (01) | - | * | 82 | 2.3 | 2.5 |
| 7 | 0.1 | 0.1 | Other (61) | - | - | 83 | 0.2 | 0.2 |
| 8 | * | * | Plastic (71) | * | 0.1 | 84 | * | * |
| Avg Leaf | 2.54 | 2.49 | Gins | 16 | 16 | 85 & Above | - | - |
| Avg Trash | 0.30 | 0.29 | | | | Avg Uniformity | 79.57 | 79.56 |
| Bales Classed | 21,680 | 29,641 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: