



Abilene Classing Office Quality Report for the Week Ending 1/13/2022

Abilene - Office Summary

Agricultural Marketing Service

Cotton Market News

January 14, 2022

Volume 5, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|----------------|------------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 19.4 | 18.6 | 31 & Shorter | 0.3 | 0.4 | 22 & Below | * | * |
| 21 | 49.3 | 42.7 | 32 | 1.7 | 2.0 | 23 | 0.1 | * |
| 31 | 24.9 | 26.6 | 33 | 5.9 | 5.8 | 24 | 0.2 | 0.1 |
| 41 | 2.6 | 2.6 | 34 | 12.4 | 12.6 | 25 | 0.6 | 0.5 |
| 51 | * | * | 35 | 20.8 | 20.3 | 26 | 2.8 | 1.9 |
| 61 | * | * | 36 | 21.2 | 19.8 | 27 | 7.1 | 6.0 |
| 71 | - | - | 37 | 19.7 | 20.5 | 28 | 13.5 | 12.3 |
| 12 | 0.6 | 2.4 | 38 | 10.1 | 10.7 | 29 | 18.3 | 16.9 |
| 22 | 1.7 | 3.5 | 39 | 5.4 | 5.8 | 30 | 18.7 | 18.7 |
| 32 | 0.7 | 2.3 | 40 | 2.1 | 1.9 | 31 | 15.5 | 16.4 |
| 42 | 0.1 | 0.3 | 41 & Longer | 0.3 | 0.2 | 32 | 10.7 | 12.8 |
| 52 | * | * | Avg Staple | 35.95 | 35.94 | 33 | 7.3 | 8.3 |
| 62 | - | - | Avg Length | 1.12 | 1.12 | 34 | 3.8 | 4.3 |
| 13 | * | 0.2 | MICRONAIRE | | | 35 | 1.1 | 1.4 |
| 23 | 0.2 | 0.4 | 2.4 & Below | * | * | 36 | 0.3 | 0.3 |
| 33 | 0.2 | 0.4 | 2.5-2.6 | 0.2 | 0.1 | 37 | * | 0.1 |
| 43 | 0.1 | 0.1 | 2.7-2.9 | 1.0 | 1.1 | 38 | * | * |
| 53 | - | * | 3.0-3.2 | 4.6 | 4.9 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 5.7 | 7.5 | 40 & Above | - | * |
| 24-54 | 0.1 | 0.1 | 3.5-3.6 | 9.8 | 11.3 | Avg Strength | 30.45 | 30.69 |
| 25-35 | - | - | 3.7-4.2 | 56.3 | 52.9 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 21.6 | 21.4 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 0.9 | 0.7 | 75 | 0.1 | 0.1 |
| | Week | Season | 5.3 & Above | * | * | 76 | 0.6 | 0.5 |
| 1 | 20.7 | 15.4 | Avg Micronaire | 3.95 | 3.93 | 77 | 3.0 | 2.6 |
| 2 | 41.9 | 37.2 | EXTRANEIOUS MATTER | | | 78 | 9.7 | 10.2 |
| 3 | 27.3 | 31.8 | Bark (11) | 6.9 | 10.4 | 79 | 23.7 | 24.7 |
| 4 | 7.9 | 11.5 | Grass (21) | 0.1 | 0.1 | 80 | 33.0 | 31.6 |
| 5 | 1.9 | 3.2 | Seed Coat (31) | 0.1 | 0.1 | 81 | 22.3 | 22.2 |
| 6 | 0.3 | 0.7 | Prep (01) | * | * | 82 | 6.6 | 7.0 |
| 7 | * | 0.2 | Other (61) | * | * | 83 | 1.0 | 1.0 |
| 8 | * | * | Plastic (71) | * | * | 84 | 0.1 | 0.1 |
| Avg Leaf | 2.30 | 2.53 | Gins | 38 | 38 | 85 & Above | - | * |
| Avg Trash | 0.24 | 0.28 | | | | Avg Uniformity | 80.29 | 80.29 |
| Bales Classed | 155,475 | 1,055,947 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 1/13/2022

Abilene - KS

Agricultural Marketing Service

Cotton Market News

January 14, 2022

Volume 5, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 3.0 | 11.9 | 31 & Shorter | - | 0.5 | 22 & Below | - | * |
| 21 | 25.5 | 24.3 | 32 | 0.1 | 3.3 | 23 | - | * |
| 31 | 62.7 | 48.2 | 33 | 5.9 | 8.3 | 24 | - | 0.1 |
| 41 | 7.6 | 8.2 | 34 | 22.4 | 20.5 | 25 | * | 0.7 |
| 51 | * | 0.1 | 35 | 28.2 | 28.0 | 26 | 0.1 | 1.4 |
| 61 | - | - | 36 | 32.8 | 24.4 | 27 | 0.5 | 3.0 |
| 71 | - | - | 37 | 8.8 | 12.4 | 28 | 7.0 | 5.6 |
| 12 | 0.3 | 2.2 | 38 | 1.6 | 2.0 | 29 | 19.4 | 14.9 |
| 22 | 0.1 | 1.6 | 39 | 0.1 | 0.5 | 30 | 28.8 | 26.1 |
| 32 | 0.7 | 2.3 | 40 | 0.1 | 0.2 | 31 | 23.8 | 21.5 |
| 42 | 0.1 | 0.3 | 41 & Longer | - | * | 32 | 10.1 | 14.1 |
| 52 | - | * | Avg Staple | 35.21 | 35.09 | 33 | 7.0 | 8.5 |
| 62 | - | - | Avg Length | 1.10 | 1.09 | 34 | 3.1 | 3.3 |
| 13 | - | 0.4 | MICRONAIRE | | | 35 | 0.2 | 0.7 |
| 23 | - | * | 2.4 & Below | * | * | 36 | 0.1 | 0.1 |
| 33 | 0.1 | 0.2 | 2.5-2.6 | 0.4 | 0.2 | 37 | * | * |
| 43 | 0.1 | 0.2 | 2.7-2.9 | 0.1 | 0.6 | 38 | - | * |
| 53 | - | * | 3.0-3.2 | 1.3 | 2.6 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | 3.6 | 3.6 | 40 & Above | - | - |
| 24-54 | - | 0.1 | 3.5-3.6 | 3.2 | 5.1 | Avg Strength | 30.89 | 30.93 |
| 25-35 | - | - | 3.7-4.2 | 33.4 | 33.7 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 45.9 | 47.9 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 12.1 | 6.0 | 75 | - | * |
| | Week | Season | 5.3 & Above | - | 0.2 | 76 | - | 0.2 |
| 1 | 0.7 | 5.0 | Avg Micronaire | 4.33 | 4.25 | 77 | 0.1 | 1.6 |
| 2 | 24.8 | 25.6 | EXTRANEIOUS MATTER | | | 78 | 0.9 | 5.5 |
| 3 | 52.1 | 36.5 | Bark (11) | 20.0 | 21.1 | 79 | 7.0 | 15.4 |
| 4 | 16.7 | 23.2 | Grass (21) | 0.1 | 0.3 | 80 | 33.5 | 34.4 |
| 5 | 4.9 | 7.7 | Seed Coat (31) | * | 0.1 | 81 | 46.1 | 32.7 |
| 6 | 0.7 | 1.7 | Prep (01) | - | - | 82 | 12.2 | 9.6 |
| 7 | 0.1 | 0.2 | Other (61) | - | - | 83 | 0.2 | 0.7 |
| 8 | * | 0.1 | Plastic (71) | * | * | 84 | * | * |
| Avg Leaf | 3.03 | 3.09 | Gins | 3 | 3 | 85 & Above | - | - |
| Avg Trash | 0.35 | 0.40 | | | | Avg Uniformity | 81.06 | 80.67 |
| Bales Classed | 7,037 | 88,117 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 1/13/2022

Abilene - OK

Agricultural Marketing Service

Cotton Market News

January 14, 2022

Volume 5, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 8.5 | 8.5 | 31 & Shorter | 0.1 | 0.1 | 22 & Below | - | * |
| 21 | 45.6 | 46.7 | 32 | 0.8 | 1.0 | 23 | * | * |
| 31 | 36.2 | 35.5 | 33 | 3.1 | 2.7 | 24 | 0.1 | * |
| 41 | 5.7 | 3.1 | 34 | 7.2 | 6.4 | 25 | 0.4 | 0.2 |
| 51 | * | * | 35 | 13.4 | 12.5 | 26 | 1.5 | 0.9 |
| 61 | * | * | 36 | 15.9 | 15.5 | 27 | 4.4 | 3.1 |
| 71 | - | - | 37 | 26.1 | 26.6 | 28 | 9.8 | 7.5 |
| 12 | 0.6 | 1.0 | 38 | 16.9 | 18.5 | 29 | 15.5 | 13.2 |
| 22 | 1.1 | 2.1 | 39 | 10.5 | 11.6 | 30 | 17.8 | 16.9 |
| 32 | 0.8 | 1.9 | 40 | 5.1 | 4.4 | 31 | 17.0 | 18.0 |
| 42 | 0.3 | 0.2 | 41 & Longer | 0.8 | 0.5 | 32 | 14.3 | 17.3 |
| 52 | * | * | Avg Staple | 36.75 | 36.80 | 33 | 10.8 | 12.7 |
| 62 | - | - | Avg Length | 1.15 | 1.15 | 34 | 6.0 | 7.1 |
| 13 | * | * | MICRONAIRE | | | 35 | 2.0 | 2.4 |
| 23 | 0.3 | 0.3 | 2.4 & Below | * | * | 36 | 0.4 | 0.5 |
| 33 | 0.4 | 0.4 | 2.5-2.6 | 0.2 | 0.2 | 37 | 0.1 | 0.1 |
| 43 | 0.2 | 0.1 | 2.7-2.9 | 1.0 | 1.3 | 38 | * | * |
| 53 | - | * | 3.0-3.2 | 6.8 | 6.2 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 6.6 | 9.7 | 40 & Above | - | * |
| 24-54 | 0.3 | 0.1 | 3.5-3.6 | 11.5 | 13.8 | Avg Strength | 31.03 | 31.38 |
| 25-35 | - | - | 3.7-4.2 | 58.0 | 50.9 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 15.8 | 17.7 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 0.2 | 0.2 | 75 | * | 0.1 |
| | Week | Season | 5.3 & Above | * | * | 76 | 0.4 | 0.3 |
| 1 | 17.9 | 14.1 | Avg Micronaire | 3.87 | 3.86 | 77 | 1.7 | 1.5 |
| 2 | 38.1 | 36.6 | EXTRANEIOUS MATTER | | | 78 | 6.9 | 6.4 |
| 3 | 32.0 | 34.5 | | Week | Season | 79 | 18.8 | 18.1 |
| 4 | 8.9 | 11.4 | Bark (11) | 5.8 | 5.9 | 80 | 33.7 | 31.7 |
| 5 | 2.5 | 2.7 | Grass (21) | 0.2 | 0.1 | 81 | 26.5 | 29.2 |
| 6 | 0.6 | 0.5 | Seed Coat (31) | 0.1 | * | 82 | 9.8 | 10.9 |
| 7 | 0.1 | 0.1 | Prep (01) | - | * | 83 | 2.0 | 1.8 |
| 8 | * | 0.1 | Other (61) | * | * | 84 | 0.2 | 0.1 |
| Avg Leaf | 2.42 | 2.54 | Plastic (71) | * | * | 85 & Above | - | * |
| Avg Trash | 0.26 | 0.28 | Gins | 12 | 12 | Avg Uniformity | 80.58 | 80.65 |
| Bales Classed | 57,626 | 403,538 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>



Volume 5, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|-----------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 27.5 | 26.8 | 31 & Shorter | 0.4 | 0.6 | 22 & Below | * | * |
| 21 | 53.5 | 42.6 | 32 | 2.3 | 2.6 | 23 | 0.1 | * |
| 31 | 14.8 | 16.8 | 33 | 7.7 | 7.6 | 24 | 0.2 | 0.1 |
| 41 | 0.3 | 1.3 | 34 | 14.9 | 15.8 | 25 | 0.8 | 0.6 |
| 51 | * | * | 35 | 24.9 | 24.6 | 26 | 3.9 | 2.8 |
| 61 | - | - | 36 | 23.7 | 22.2 | 27 | 9.3 | 8.5 |
| 71 | - | - | 37 | 16.5 | 17.4 | 28 | 16.3 | 16.8 |
| 12 | 0.7 | 3.5 | 38 | 6.5 | 6.4 | 29 | 20.1 | 19.8 |
| 22 | 2.1 | 4.7 | 39 | 2.7 | 2.5 | 30 | 18.6 | 18.8 |
| 32 | 0.7 | 2.6 | 40 | 0.4 | 0.3 | 31 | 13.9 | 14.5 |
| 42 | * | 0.3 | 41 & Longer | * | * | 32 | 8.4 | 9.3 |
| 52 | * | * | Avg Staple | 35.50 | 35.46 | 33 | 5.1 | 5.1 |
| 62 | - | - | Avg Length | 1.11 | 1.11 | 34 | 2.5 | 2.5 |
| 13 | * | 0.3 | MICRONAIRE | | | 35 | 0.6 | 0.9 |
| 23 | 0.1 | 0.4 | 2.4 & Below | - | * | 36 | 0.2 | 0.3 |
| 33 | 0.1 | 0.4 | 2.5-2.6 | 0.2 | 0.1 | 37 | * | 0.1 |
| 43 | * | 0.1 | 2.7-2.9 | 1.1 | 1.1 | 38 | * | * |
| 53 | - | * | 3.0-3.2 | 3.6 | 4.3 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 5.2 | 6.6 | 40 & Above | - | - |
| 24-54 | * | 0.1 | 3.5-3.6 | 9.2 | 10.4 | Avg Strength | 30.05 | 30.15 |
| 25-35 | - | - | 3.7-4.2 | 57.0 | 57.3 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 23.4 | 20.0 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 0.4 | 0.3 | 75 | 0.1 | 0.1 |
| | Week | Season | 5.3 & Above | * | * | 76 | 0.8 | 0.8 |
| 1 | 24.0 | 17.9 | Avg Micronaire | 3.97 | 3.93 | 77 | 4.0 | 3.5 |
| 2 | 45.6 | 39.5 | EXTRANEIOUS MATTER | | | 78 | 12.2 | 13.7 |
| 3 | 22.5 | 29.1 | Bark (11) | Week | Season | 79 | 28.1 | 30.9 |
| 4 | 6.5 | 9.7 | Grass (21) | 6.6 | 12.1 | 80 | 32.5 | 31.0 |
| 5 | 1.3 | 2.9 | Seed Coat (31) | 0.1 | 0.1 | 81 | 17.7 | 15.6 |
| 6 | 0.1 | 0.6 | Prep (01) | 0.2 | 0.2 | 82 | 4.1 | 3.8 |
| 7 | * | 0.2 | Other (61) | * | * | 83 | 0.5 | 0.5 |
| 8 | * | * | Plastic (71) | * | * | 84 | * | * |
| Avg Leaf | 2.16 | 2.43 | Gins | 23 | 23 | 85 & Above | - | * |
| Avg Trash | 0.21 | 0.27 | | | | Avg Uniformity | 80.04 | 79.97 |
| Bales Classed | 90,812 | 564,292 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>