



Abilene Classing Office Quality Report for the Week Ending 1/12/2023

Abilene - Office Summary

Agricultural Marketing Service

Cotton Market News

January 13, 2023

Volume 6, No. 10

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 0.9 | 12.1 | 31 & Shorter | * | 0.2 | 22 & Below | - | * |
| 21 | 6.9 | 27.4 | 32 | 0.2 | 1.0 | 23 | - | * |
| 31 | 32.7 | 36.4 | 33 | 2.3 | 3.9 | 24 | * | 0.1 |
| 41 | 35.7 | 12.6 | 34 | 8.5 | 7.8 | 25 | 0.4 | 0.3 |
| 51 | 1.4 | 0.3 | 35 | 13.7 | 11.6 | 26 | 1.8 | 1.1 |
| 61 | - | - | 36 | 23.9 | 16.5 | 27 | 5.3 | 3.0 |
| 71 | - | - | 37 | 28.2 | 25.3 | 28 | 9.2 | 8.0 |
| 12 | 0.1 | 2.4 | 38 | 12.6 | 15.7 | 29 | 15.1 | 13.9 |
| 22 | 1.6 | 3.0 | 39 | 5.7 | 11.4 | 30 | 16.8 | 18.4 |
| 32 | 8.2 | 2.7 | 40 | 4.0 | 5.1 | 31 | 17.7 | 17.5 |
| 42 | 7.3 | 1.1 | 41 & Longer | 1.0 | 1.6 | 32 | 16.6 | 14.8 |
| 52 | 0.1 | * | Avg Staple | 36.53 | 36.75 | 33 | 8.6 | 11.3 |
| 62 | - | - | Avg Length | 1.14 | 1.15 | 34 | 5.0 | 7.6 |
| 13 | - | 0.1 | MICRONAIRE | | | 35 | 2.5 | 2.8 |
| 23 | * | 0.4 | 2.4 & Below | * | * | 36 | 0.7 | 0.8 |
| 33 | 1.9 | 0.8 | 2.5-2.6 | 0.1 | 0.3 | 37 | 0.2 | 0.2 |
| 43 | 2.8 | 0.4 | 2.7-2.9 | 1.4 | 2.0 | 38 | 0.1 | 0.1 |
| 53 | 0.1 | * | 3.0-3.2 | 5.4 | 4.9 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 7.6 | 6.7 | 40 & Above | * | * |
| 24-54 | 0.2 | 0.2 | 3.5-3.6 | 8.9 | 9.6 | Avg Strength | 31.01 | 31.32 |
| 25-35 | - | - | 3.7-4.2 | 43.9 | 41.7 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 31.5 | 32.5 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 1.2 | 2.1 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | 0.1 | 0.2 | 76 | 0.7 | 0.3 |
| 1 | 1.7 | 4.6 | Avg Micronaire | 4.00 | 4.02 | 77 | 2.8 | 1.8 |
| 2 | 17.0 | 30.6 | EXTRANEIOUS MATTER | | | 78 | 11.6 | 8.1 |
| 3 | 46.6 | 43.4 | Bark (11) | 38.8 | 17.0 | 79 | 25.5 | 21.8 |
| 4 | 24.1 | 16.0 | Grass (21) | 0.2 | 0.1 | 80 | 31.6 | 31.2 |
| 5 | 6.7 | 4.0 | Seed Coat (31) | - | * | 81 | 20.2 | 24.5 |
| 6 | 2.0 | 1.0 | Prep (01) | * | 0.1 | 82 | 6.8 | 10.6 |
| 7 | 1.1 | 0.3 | Other (61) | - | - | 83 | 0.7 | 1.6 |
| 8 | 0.7 | 0.1 | Plastic (71) | * | * | 84 | * | 0.1 |
| Avg Leaf | 3.31 | 2.89 | Gins | 26 | 33 | 85 & Above | * | * |
| Avg Trash | 0.43 | 0.34 | | | | Avg Uniformity | 80.21 | 80.51 |
| Bales Classed | 35,027 | 434,902 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 1/12/2023

Abilene - KS

Agricultural Marketing Service

Cotton Market News

January 13, 2023

Volume 6, No. 10

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 2.8 | 28.2 | 31 & Shorter | * | 0.6 | 22 & Below | - | 0.1 |
| 21 | 8.2 | 34.4 | 32 | 0.7 | 3.6 | 23 | - | * |
| 31 | 40.4 | 15.8 | 33 | 11.6 | 12.4 | 24 | - | 0.2 |
| 41 | 13.5 | 2.7 | 34 | 19.1 | 18.5 | 25 | * | 0.6 |
| 51 | 0.6 | 0.1 | 35 | 7.9 | 20.9 | 26 | 0.1 | 1.5 |
| 61 | - | - | 36 | 27.8 | 23.6 | 27 | 3.2 | 3.7 |
| 71 | - | - | 37 | 32.3 | 17.5 | 28 | 9.7 | 10.6 |
| 12 | - | 6.1 | 38 | 0.4 | 2.2 | 29 | 11.0 | 18.2 |
| 22 | 7.0 | 6.7 | 39 | 0.1 | 0.5 | 30 | 21.2 | 23.2 |
| 32 | 18.6 | 3.3 | 40 | 0.1 | 0.1 | 31 | 25.9 | 18.4 |
| 42 | 3.5 | 0.4 | 41 & Longer | 0.1 | * | 32 | 22.1 | 11.9 |
| 52 | 0.3 | * | Avg Staple | 35.50 | 35.11 | 33 | 6.4 | 7.2 |
| 62 | - | - | Avg Length | 1.11 | 1.09 | 34 | 0.2 | 3.3 |
| 13 | - | 0.2 | MICRONAIRE | | | 35 | 0.2 | 0.8 |
| 23 | 0.1 | 0.8 | 2.4 & Below | - | * | 36 | * | 0.2 |
| 33 | 3.1 | 1.1 | 2.5-2.6 | - | 0.7 | 37 | 0.1 | * |
| 43 | 1.7 | 0.1 | 2.7-2.9 | 0.3 | 3.2 | 38 | - | * |
| 53 | 0.1 | * | 3.0-3.2 | 13.2 | 7.1 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | 9.8 | 6.3 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.2 | 3.5-3.6 | 3.8 | 7.1 | Avg Strength | 30.92 | 30.65 |
| 25-35 | - | - | 3.7-4.2 | 33.1 | 38.2 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 37.3 | 37.0 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 2.5 | 0.4 | 75 | - | * |
| | Week | Season | 5.3 & Above | - | - | 76 | 0.1 | 0.4 |
| 1 | 0.5 | 3.5 | Avg Micronaire | 4.01 | 3.99 | 77 | 1.6 | 2.7 |
| 2 | 3.7 | 38.8 | EXTRANEIOUS MATTER | | | 78 | 6.1 | 11.2 |
| 3 | 31.8 | 38.0 | Bark (11) | 50.3 | 14.4 | 79 | 23.0 | 29.2 |
| 4 | 31.3 | 12.7 | Grass (21) | - | 0.1 | 80 | 50.5 | 34.6 |
| 5 | 12.6 | 4.5 | Seed Coat (31) | - | * | 81 | 18.0 | 18.0 |
| 6 | 9.0 | 1.6 | Prep (01) | - | 0.3 | 82 | 0.6 | 3.7 |
| 7 | 5.8 | 0.7 | Other (61) | - | - | 83 | 0.1 | 0.1 |
| 8 | 5.3 | 0.3 | Plastic (71) | * | * | 84 | 0.1 | * |
| Avg Leaf | 4.29 | 2.85 | Gins | 2 | 3 | 85 & Above | - | - |
| Avg Trash | 0.66 | 0.32 | | | | Avg Uniformity | 80.25 | 80.10 |
| Bales Classed | 3,790 | 108,130 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 1/12/2023

Abilene - OK

Agricultural Marketing Service

Cotton Market News

January 13, 2023

Volume 6, No. 10

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 4.1 | 31 & Shorter | - | * | 22 & Below | - | * |
| 21 | 1.1 | 14.7 | 32 | 0.2 | 0.1 | 23 | - | * |
| 31 | 30.6 | 51.7 | 33 | 1.5 | 1.3 | 24 | * | * |
| 41 | 49.4 | 21.5 | 34 | 7.6 | 4.4 | 25 | 0.2 | 0.1 |
| 51 | 2.8 | 0.8 | 35 | 10.2 | 7.5 | 26 | 1.5 | 0.6 |
| 61 | - | - | 36 | 20.5 | 12.1 | 27 | 3.2 | 1.8 |
| 71 | - | - | 37 | 23.2 | 26.7 | 28 | 5.6 | 4.5 |
| 12 | - | 0.6 | 38 | 15.0 | 20.0 | 29 | 13.7 | 9.5 |
| 22 | 0.2 | 1.3 | 39 | 9.5 | 15.8 | 30 | 16.5 | 15.1 |
| 32 | 3.1 | 2.2 | 40 | 9.9 | 8.9 | 31 | 21.5 | 16.8 |
| 42 | 10.2 | 1.4 | 41 & Longer | 2.6 | 3.1 | 32 | 18.7 | 17.8 |
| 52 | 0.2 | * | Avg Staple | 37.03 | 37.45 | 33 | 8.9 | 15.9 |
| 62 | - | - | Avg Length | 1.16 | 1.17 | 34 | 6.1 | 12.3 |
| 13 | - | 0.2 | MICRONAIRE | | | 35 | 3.1 | 4.2 |
| 23 | - | 0.3 | 2.4 & Below | - | * | 36 | 0.9 | 1.1 |
| 33 | 0.3 | 0.6 | 2.5-2.6 | 0.1 | 0.4 | 37 | 0.1 | 0.2 |
| 43 | 2.1 | 0.4 | 2.7-2.9 | 1.7 | 1.7 | 38 | * | 0.1 |
| 53 | 0.1 | * | 3.0-3.2 | 5.3 | 4.2 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | 7.0 | 8.1 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.3 | 3.5-3.6 | 11.2 | 12.6 | Avg Strength | 31.34 | 31.97 |
| 25-35 | - | - | 3.7-4.2 | 51.5 | 46.5 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 22.7 | 25.4 | 74 & Below | - | - |
| LEAF GRADE | | | 5.0-5.2 | 0.4 | 1.0 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | 0.2 | * | 76 | 0.9 | 0.3 |
| 1 | 0.8 | 4.2 | Avg Micronaire | 3.92 | 3.94 | 77 | 2.6 | 1.4 |
| 2 | 21.5 | 24.2 | EXTRANEIOUS MATTER | | | 78 | 10.6 | 5.4 |
| 3 | 50.5 | 48.3 | Bark (11) | 30.7 | 13.6 | 79 | 23.9 | 15.9 |
| 4 | 18.9 | 18.2 | Grass (21) | * | * | 80 | 29.6 | 26.9 |
| 5 | 5.2 | 3.8 | Seed Coat (31) | - | * | 81 | 23.4 | 28.6 |
| 6 | 1.9 | 1.0 | Prep (01) | * | * | 82 | 8.4 | 18.5 |
| 7 | 1.0 | 0.2 | Other (61) | - | - | 83 | 0.6 | 2.8 |
| 8 | 0.1 | * | Plastic (71) | - | * | 84 | * | 0.1 |
| Avg Leaf | 3.16 | 2.97 | Gins | 9 | 11 | 85 & Above | - | * |
| Avg Trash | 0.40 | 0.37 | | | | Avg Uniformity | 80.29 | 80.87 |
| Bales Classed | 13,030 | 147,396 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>



Abilene Classing Office Quality Report for the Week Ending 1/12/2023

Abilene - TX

Agricultural Marketing Service

Cotton Market News

January 13, 2023

Volume 6, No. 10

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 1.1 | 8.9 | 31 & Shorter | * | 0.1 | 22 & Below | - | * |
| 21 | 10.9 | 33.5 | 32 | 0.1 | 0.2 | 23 | - | * |
| 31 | 32.6 | 36.4 | 33 | 1.0 | 1.0 | 24 | 0.1 | * |
| 41 | 30.6 | 11.3 | 34 | 7.0 | 4.2 | 25 | 0.6 | 0.3 |
| 51 | 0.5 | 0.1 | 35 | 17.4 | 9.2 | 26 | 2.4 | 1.2 |
| 61 | - | - | 36 | 25.5 | 15.8 | 27 | 7.2 | 3.5 |
| 71 | - | - | 37 | 30.9 | 28.8 | 28 | 11.8 | 9.4 |
| 12 | 0.2 | 1.7 | 38 | 13.3 | 20.2 | 29 | 16.9 | 15.0 |
| 22 | 1.5 | 2.1 | 39 | 4.2 | 14.3 | 30 | 16.0 | 18.2 |
| 32 | 9.8 | 2.8 | 40 | 0.7 | 4.9 | 31 | 13.3 | 17.6 |
| 42 | 6.1 | 1.2 | 41 & Longer | * | 1.3 | 32 | 13.9 | 14.2 |
| 52 | 0.1 | * | Avg Staple | 36.38 | 37.17 | 33 | 8.8 | 9.9 |
| 62 | - | - | Avg Length | 1.13 | 1.16 | 34 | 5.2 | 6.2 |
| 13 | - | 0.1 | MICRONAIRE | | | 35 | 2.5 | 2.8 |
| 23 | * | 0.2 | 2.4 & Below | * | * | 36 | 0.7 | 1.1 |
| 33 | 2.8 | 0.9 | 2.5-2.6 | 0.1 | 0.1 | 37 | 0.3 | 0.4 |
| 43 | 3.5 | 0.6 | 2.7-2.9 | 1.4 | 1.5 | 38 | 0.1 | 0.1 |
| 53 | * | * | 3.0-3.2 | 3.8 | 4.3 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 7.7 | 5.7 | 40 & Above | * | * |
| 24-54 | 0.4 | 0.1 | 3.5-3.6 | 8.3 | 8.5 | Avg Strength | 30.80 | 31.18 |
| 25-35 | - | - | 3.7-4.2 | 40.6 | 39.9 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 36.5 | 35.5 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 1.5 | 4.1 | 75 | 0.2 | 0.1 |
| | Week | Season | 5.3 & Above | * | 0.5 | 76 | 0.6 | 0.3 |
| 1 | 2.6 | 5.6 | Avg Micronaire | 4.05 | 4.09 | 77 | 3.3 | 1.7 |
| 2 | 16.6 | 31.0 | EXTRANEIOUS MATTER | | | 78 | 13.4 | 8.4 |
| 3 | 46.9 | 42.7 | Bark (11) | 42.2 | 21.4 | 79 | 27.1 | 22.2 |
| 4 | 26.4 | 16.3 | Grass (21) | 0.4 | 0.1 | 80 | 29.0 | 32.6 |
| 5 | 6.6 | 3.7 | Seed Coat (31) | - | * | 81 | 18.4 | 25.0 |
| 6 | 0.5 | 0.6 | Prep (01) | - | - | 82 | 7.1 | 8.2 |
| 7 | 0.1 | 0.1 | Other (61) | - | - | 83 | 0.9 | 1.5 |
| 8 | 0.2 | * | Plastic (71) | * | * | 84 | 0.1 | 0.2 |
| Avg Leaf | 3.21 | 2.84 | Gins | 15 | 19 | 85 & Above | * | * |
| Avg Trash | 0.41 | 0.34 | | | | Avg Uniformity | 80.14 | 80.46 |
| Bales Classed | 18,207 | 179,376 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: