



Abilene Classing Office Quality Report for the Week Ending 11/16/2023

Abilene - Office Summary

Agricultural Marketing Service

Cotton Market News

November 17, 2023

Volume 7, No. 5

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|-------------------|-------------|-------------|---------------------------|---------------|----------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 15.7 | 16.8 | 31 & Shorter | 0.5 | 0.4 | 22 & Below | 0.1 | 0.1 |
| 21 | 27.2 | 34.8 | 32 | 1.9 | 1.5 | 23 | 0.3 | 0.2 |
| 31 | 27.3 | 18.6 | 33 | 3.8 | 3.3 | 24 | 0.5 | 0.5 |
| 41 | 6.8 | 3.6 | 34 | 6.5 | 7.2 | 25 | 0.8 | 0.7 |
| 51 | 0.1 | 0.1 | 35 | 15.7 | 14.2 | 26 | 1.5 | 1.4 |
| 61 | * | * | 36 | 21.9 | 22.5 | 27 | 3.7 | 3.0 |
| 71 | - | - | 37 | 32.5 | 30.7 | 28 | 8.5 | 5.8 |
| 12 | 4.5 | 5.3 | 38 | 11.8 | 14.2 | 29 | 11.9 | 8.3 |
| 22 | 8.1 | 10.6 | 39 | 4.0 | 4.8 | 30 | 15.2 | 12.1 |
| 32 | 5.3 | 5.6 | 40 | 1.2 | 1.0 | 31 | 14.7 | 14.1 |
| 42 | 3.2 | 1.6 | 41 & Longer | 0.1 | 0.1 | 32 | 13.1 | 15.9 |
| 52 | 0.2 | 0.1 | Avg Staple | 36.24 | 36.32 | 33 | 15.2 | 16.3 |
| 62 | - | - | Avg Length | 1.13 | 1.13 | 34 | 10.5 | 14.6 |
| 13 | 0.1 | 0.3 | MICRONAIRE | | | 35 | 3.0 | 6.0 |
| 23 | 0.6 | 1.2 | 2.4 & Below | * | * | 36 | 0.7 | 0.9 |
| 33 | 0.7 | 0.9 | 2.5-2.6 | * | * | 37 | 0.2 | 0.2 |
| 43 | 0.2 | 0.3 | 2.7-2.9 | 0.8 | 1.4 | 38 | * | * |
| 53 | * | * | 3.0-3.2 | 2.7 | 5.9 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | 2.8 | 5.3 | 40 & Above | - | - |
| 24-54 | 0.2 | 0.1 | 3.5-3.6 | 5.0 | 6.4 | Avg Strength | 31.38 | 31.91 |
| 25-35 | - | - | 3.7-4.2 | 35.1 | 33.0 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 48.0 | 44.6 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 5.0 | 3.2 | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | 0.5 | 0.2 | 76 | 0.3 | 0.3 |
| 1 | 11.7 | 13.6 | Avg Micronaire | 4.25 | 4.14 | 77 | 2.4 | 2.2 |
| 2 | 34.0 | 36.1 | EXTRANEIOUS MATTER | | | 78 | 10.0 | 9.3 |
| 3 | 37.3 | 31.8 | Bark (11) | 5.2 | 7.9 | 79 | 21.6 | 21.1 |
| 4 | 11.0 | 11.8 | Grass (21) | 1.7 | 1.3 | 80 | 26.5 | 23.9 |
| 5 | 4.0 | 4.5 | Seed Coat (31) | * | * | 81 | 23.7 | 22.6 |
| 6 | 1.5 | 1.6 | Prep (01) | * | * | 82 | 13.2 | 16.7 |
| 7 | 0.5 | 0.5 | Other (61) | - | * | 83 | 2.1 | 3.7 |
| 8 | 0.1 | 0.2 | Plastic (71) | * | * | 84 | 0.1 | 0.1 |
| Avg Leaf | 2.69 | 2.65 | Gins | 24 | 25 | 85 & Above | - | - |
| Avg Trash | 0.31 | 0.31 | Bales Classed | 46,141 | 123,143 | Avg Uniformity | 80.51 | 80.64 |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 11/16/2023

Abilene - KS

Agricultural Marketing Service

Cotton Market News

November 17, 2023

Volume 7, No. 5

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 6.0 | 4.3 | 31 & Shorter | 1.7 | 0.5 | 22 & Below | - | - |
| 21 | 27.0 | 29.0 | 32 | 3.6 | 1.7 | 23 | * | * |
| 31 | 16.7 | 23.5 | 33 | 5.0 | 3.4 | 24 | * | * |
| 41 | 4.1 | 3.4 | 34 | 10.6 | 9.5 | 25 | 0.5 | 0.1 |
| 51 | 0.1 | 0.4 | 35 | 21.7 | 19.7 | 26 | 1.3 | 0.4 |
| 61 | * | 0.1 | 36 | 18.4 | 24.2 | 27 | 2.8 | 1.3 |
| 71 | - | - | 37 | 28.5 | 27.5 | 28 | 2.5 | 3.1 |
| 12 | 5.2 | 3.8 | 38 | 7.6 | 10.4 | 29 | 6.5 | 5.0 |
| 22 | 20.2 | 19.2 | 39 | 2.8 | 3.1 | 30 | 15.6 | 11.0 |
| 32 | 8.2 | 10.3 | 40 | * | * | 31 | 22.5 | 18.2 |
| 42 | 8.8 | 3.2 | 41 & Longer | * | * | 32 | 20.4 | 23.7 |
| 52 | 0.8 | 0.2 | Avg Staple | 35.71 | 36.00 | 33 | 13.0 | 18.0 |
| 62 | - | - | Avg Length | 1.11 | 1.12 | 34 | 11.9 | 13.1 |
| 13 | * | * | MICRONAIRE | | | 35 | 2.9 | 5.5 |
| 23 | 0.7 | 0.5 | 2.4 & Below | * | * | 36 | 0.1 | 0.5 |
| 33 | 1.3 | 1.5 | 2.5-2.6 | * | 0.1 | 37 | * | 0.1 |
| 43 | 0.6 | 0.5 | 2.7-2.9 | 3.8 | 4.8 | 38 | - | - |
| 53 | - | * | 3.0-3.2 | 12.3 | 18.8 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | 9.8 | 14.4 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.1 | 3.5-3.6 | 16.5 | 15.7 | Avg Strength | 31.82 | 32.31 |
| 25-35 | - | - | 3.7-4.2 | 49.7 | 40.6 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | 7.8 | 5.6 | 74 & Below | - | - |
| LEAF GRADE | | | 5.0-5.2 | * | * | 75 | 0.1 | * |
| | Week | Season | 5.3 & Above | - | - | 76 | 0.4 | 0.2 |
| 1 | 0.7 | 0.2 | Avg Micronaire | 3.70 | 3.60 | 77 | 4.2 | 3.2 |
| 2 | 11.7 | 8.5 | EXTRANEIOUS MATTER | | | 78 | 18.9 | 16.1 |
| 3 | 42.8 | 42.1 | Bark (11) | 9.6 | 15.1 | 79 | 37.0 | 38.1 |
| 4 | 24.3 | 28.9 | Grass (21) | 5.4 | 3.1 | 80 | 22.9 | 27.9 |
| 5 | 11.9 | 13.1 | Seed Coat (31) | - | * | 81 | 12.1 | 11.4 |
| 6 | 6.0 | 4.9 | Prep (01) | - | - | 82 | 4.4 | 2.8 |
| 7 | 2.2 | 1.5 | Other (61) | - | * | 83 | 0.1 | 0.2 |
| 8 | 0.5 | 0.7 | Plastic (71) | * | * | 84 | * | * |
| Avg Leaf | 3.64 | 3.70 | Gins | 3 | 3 | 85 & Above | - | - |
| Avg Trash | 0.48 | 0.49 | | | | Avg Uniformity | 79.72 | 79.80 |
| Bales Classed | 9,697 | 35,023 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 11/16/2023

Abilene - OK

Agricultural Marketing Service

Cotton Market News

November 17, 2023

Volume 7, No. 5

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 10.2 | 16.8 | 31 & Shorter | 0.2 | 0.5 | 22 & Below | 0.2 | 0.2 |
| 21 | 28.8 | 39.0 | 32 | 1.6 | 1.6 | 23 | 0.5 | 0.4 |
| 31 | 35.5 | 18.5 | 33 | 5.0 | 4.0 | 24 | 0.7 | 0.7 |
| 41 | 9.3 | 4.1 | 34 | 4.8 | 6.5 | 25 | 1.4 | 1.3 |
| 51 | 0.1 | 0.1 | 35 | 13.5 | 11.6 | 26 | 2.2 | 2.1 |
| 61 | - | - | 36 | 22.8 | 21.6 | 27 | 3.4 | 3.5 |
| 71 | - | - | 37 | 37.7 | 35.3 | 28 | 7.7 | 5.3 |
| 12 | 2.0 | 4.1 | 38 | 9.7 | 13.1 | 29 | 12.3 | 8.4 |
| 22 | 5.3 | 8.5 | 39 | 3.5 | 4.7 | 30 | 15.5 | 11.6 |
| 32 | 4.9 | 4.5 | 40 | 1.2 | 1.2 | 31 | 12.6 | 11.8 |
| 42 | 2.5 | 1.3 | 41 & Longer | * | * | 32 | 11.6 | 11.7 |
| 52 | * | * | Avg Staple | 36.27 | 36.36 | 33 | 17.0 | 16.8 |
| 62 | - | - | Avg Length | 1.13 | 1.13 | 34 | 11.6 | 18.2 |
| 13 | 0.1 | 0.4 | MICRONAIRE | | | 35 | 2.5 | 7.0 |
| 23 | 0.4 | 1.6 | 2.4 & Below | - | - | 36 | 0.6 | 0.8 |
| 33 | 0.5 | 0.8 | 2.5-2.6 | - | * | 37 | 0.3 | 0.2 |
| 43 | 0.2 | 0.2 | 2.7-2.9 | * | 0.1 | 38 | * | * |
| 53 | * | * | 3.0-3.2 | 0.3 | 1.1 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | 1.4 | 2.3 | 40 & Above | - | - |
| 24-54 | 0.1 | 0.1 | 3.5-3.6 | 2.2 | 3.1 | Avg Strength | 31.32 | 31.91 |
| 25-35 | - | - | 3.7-4.2 | 37.9 | 34.0 | UNIFORMITY | | |
| 81-85 | * | * | 4.3-4.9 | 52.0 | 55.8 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 5.4 | 3.2 | 75 | 0.1 | 0.1 |
| | Week | Season | 5.3 & Above | 0.7 | 0.3 | 76 | 0.4 | 0.4 |
| 1 | 13.5 | 19.1 | Avg Micronaire | 4.34 | 4.31 | 77 | 2.8 | 2.3 |
| 2 | 38.6 | 46.5 | EXTRANEIOUS MATTER | | | 78 | 9.2 | 7.5 |
| 3 | 38.4 | 27.8 | Bark (11) | Week | Season | 79 | 14.6 | 12.9 |
| 4 | 6.7 | 4.9 | Grass (21) | 2.3 | 3.9 | 80 | 21.5 | 18.3 |
| 5 | 2.3 | 1.3 | Seed Coat (31) | 0.5 | 0.4 | 81 | 26.9 | 25.0 |
| 6 | 0.5 | 0.3 | Prep (01) | - | - | 82 | 20.8 | 26.7 |
| 7 | * | 0.1 | Other (61) | - | - | 83 | 3.6 | 6.8 |
| 8 | - | * | Plastic (71) | * | * | 84 | 0.1 | 0.2 |
| Avg Leaf | 2.47 | 2.24 | Gins | 11 | 11 | 85 & Above | - | - |
| Avg Trash | 0.27 | 0.24 | | | | Avg Uniformity | 80.82 | 81.08 |
| Bales Classed | 20,779 | 58,080 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 11/16/2023

Abilene - TX

Agricultural Marketing Service

Cotton Market News

November 17, 2023

Volume 7, No. 5

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 29.0 | 31.5 | 31 & Shorter | * | 0.1 | 22 & Below | - | * |
| 21 | 25.2 | 33.6 | 32 | 1.2 | 1.1 | 23 | 0.1 | 0.2 |
| 31 | 23.0 | 13.1 | 33 | 1.4 | 1.8 | 24 | 0.6 | 0.5 |
| 41 | 5.2 | 2.7 | 34 | 6.2 | 5.8 | 25 | 0.2 | 0.3 |
| 51 | * | * | 35 | 15.0 | 12.8 | 26 | 0.8 | 1.3 |
| 61 | - | - | 36 | 22.9 | 22.3 | 27 | 4.7 | 4.0 |
| 71 | - | - | 37 | 28.0 | 25.8 | 28 | 13.4 | 10.0 |
| 12 | 7.3 | 9.2 | 38 | 17.2 | 20.9 | 29 | 14.8 | 11.9 |
| 22 | 4.2 | 4.7 | 39 | 5.5 | 7.1 | 30 | 14.7 | 14.2 |
| 32 | 4.0 | 2.3 | 40 | 2.1 | 1.7 | 31 | 12.6 | 13.9 |
| 42 | 0.6 | 0.4 | 41 & Longer | 0.4 | 0.5 | 32 | 10.8 | 14.7 |
| 52 | - | * | Avg Staple | 36.52 | 36.63 | 33 | 14.2 | 13.3 |
| 62 | - | - | Avg Length | 1.14 | 1.14 | 34 | 8.2 | 9.3 |
| 13 | 0.1 | 0.6 | MICRONAIRE | | | 35 | 3.7 | 4.6 |
| 23 | 0.6 | 1.2 | 2.4 & Below | - | - | 36 | 1.2 | 1.5 |
| 33 | 0.5 | 0.3 | 2.5-2.6 | - | - | 37 | 0.3 | 0.4 |
| 43 | 0.1 | * | 2.7-2.9 | - | * | 38 | * | * |
| 53 | - | * | 3.0-3.2 | * | 0.2 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | 0.2 | 0.5 | 40 & Above | - | - |
| 24-54 | 0.2 | 0.2 | 3.5-3.6 | 1.6 | 1.8 | Avg Strength | 31.18 | 31.45 |
| 25-35 | - | - | 3.7-4.2 | 22.3 | 22.1 | UNIFORMITY | | |
| 81-85 | - | * | 4.3-4.9 | 67.6 | 68.2 | 74 & Below | - | - |
| LEAF GRADE | | | 5.0-5.2 | 7.7 | 6.9 | 75 | 0.1 | 0.1 |
| | Week | Season | 5.3 & Above | 0.5 | 0.3 | 76 | * | 0.1 |
| 1 | 16.1 | 18.4 | Avg Micronaire | 4.48 | 4.46 | 77 | 0.7 | 0.9 |
| 2 | 41.6 | 48.0 | EXTRANEIOUS MATTER | | | 78 | 5.5 | 5.1 |
| 3 | 32.3 | 27.4 | Bark (11) | Week | Season | 79 | 21.6 | 17.2 |
| 4 | 8.5 | 5.2 | Grass (21) | 6.2 | 7.4 | 80 | 35.4 | 30.3 |
| 5 | 1.4 | 0.8 | Seed Coat (31) | 1.1 | 0.9 | 81 | 26.5 | 30.9 |
| 6 | 0.1 | 0.1 | Prep (01) | * | * | 82 | 8.7 | 13.5 |
| 7 | * | * | Other (61) | * | * | 83 | 1.3 | 1.8 |
| 8 | - | - | Plastic (71) | - | * | 84 | 0.2 | 0.2 |
| Avg Leaf | 2.38 | 2.22 | Gins | 10 | 11 | 85 & Above | - | - |
| Avg Trash | 0.25 | 0.23 | | | | Avg Uniformity | 80.58 | 80.78 |
| Bales Classed | 15,665 | 30,040 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: